
# Safety data sheet according to 1907/2006/EC, Article 31



Printing date 09.10.2023

Version number 2 (replaces version 1)

Revision: 09.10.2023



# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 09.10.2023

Version number 2 (replaces version 1)

Revision: 09.10.2023

IE

#### Trade name: Epicol 530G Part A

	(Contd. of page
Hazard statem	
H315 Causes s	
	erious eye damage.
	se an allergic skin reaction.
Precautionary	
P261	Avoid breathing dust/fume/gas/mist/vapours/spray.
P280	Wear protective gloves / eye protection / face protection.
P305+P351+P3	338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact
<b>D</b> 040	lenses, if present and easy to do. Continue rinsing.
P310	Immediately call a POISON CENTER/doctor.
P362+P364	Take off contaminated clothing and wash it before reuse.
P501	Dispose of contents/container in accordance with local/regional/national/ international regulations.
Additional info	
	constituents. May produce an allergic reaction.
	ackages where the contents do not exceed 125 ml
Hazard pictogr	rams
GHS05 GHS	07
GHS05 GHS Signal word Da	
Signal word Da	anger
Signal word Da Hazard-determ	anger nining components of labelling:
Signal word Da Hazard-determ 1,4-bis(2,3-epox	anger <b>hining components of labelling:</b> xypropoxy)butane
Signal word Da Hazard-determ 1,4-bis(2,3-epox	anger <b>hining components of labelling:</b> xypropoxy)butane ypropoxy)phenyl]propane
Signal word Da Hazard-determ 1,4-bis(2,3-epox) bis[4-(2,3-epoxy Hazard statem	anger <b>nining components of labelling:</b> xypropoxy)butane ypropoxy)phenyl]propane <b>ents</b>
Signal word Da Hazard-determ 1,4-bis(2,3-epoxy bis[4-(2,3-epoxy Hazard statem H318 Causes s	anger <b>hining components of labelling:</b> xypropoxy)butane ypropoxy)phenyl]propane
Signal word Da Hazard-determ 1,4-bis(2,3-epoxy bis[4-(2,3-epoxy Hazard statem H318 Causes s	anger <b>nining components of labelling:</b> xypropoxy)butane ypropoxy)phenyl]propane <b>tents</b> serious eye damage. se an allergic skin reaction.
Signal word Da Hazard-determ 1,4-bis(2,3-epox) bis[4-(2,3-epox) Hazard statem H318 Causes s H317 May caus	anger <b>nining components of labelling:</b> xypropoxy)butane ypropoxy)phenyl]propane <b>tents</b> serious eye damage. se an allergic skin reaction.
Signal word Da Hazard-determ 1,4-bis(2,3-epox) bis[4-(2,3-epox) Hazard statem H318 Causes s H317 May caus Precautionary	anger <b>nining components of labelling:</b> xypropoxy)butane ypropoxy)phenyl]propane <b>tents</b> serious eye damage. se an allergic skin reaction. <b>statements</b>
Signal word Da Hazard-determ 1,4-bis(2,3-epox) bis[4-(2,3-epox) Hazard statem H318 Causes s H317 May caus Precautionary P261 P280	anger hining components of labelling: xypropoxy)butane ypropoxy)phenyl]propane ents erious eye damage. se an allergic skin reaction. statements Avoid breathing dust/fume/gas/mist/vapours/spray. Wear protective gloves / eye protection / face protection. 338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact
Signal word Da Hazard-determ 1,4-bis(2,3-epox) bis[4-(2,3-epox) Hazard statem H318 Causes s H317 May caus Precautionary P261 P280	anger hining components of labelling: xypropoxy)butane ypropoxy)phenyl]propane ents eerious eye damage. se an allergic skin reaction. statements Avoid breathing dust/fume/gas/mist/vapours/spray. Wear protective gloves / eye protection / face protection.
Signal word Da Hazard-determ 1,4-bis(2,3-epoxy bis[4-(2,3-epoxy Hazard statem H318 Causes s H317 May caus Precautionary P261 P280 P305+P351+P3	anger hining components of labelling: xypropoxy)butane ypropoxy)phenyl]propane ents erious eye damage. se an allergic skin reaction. statements Avoid breathing dust/fume/gas/mist/vapours/spray. Wear protective gloves / eye protection / face protection. 338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact
Signal word Da Hazard-determ 1,4-bis(2,3-epox) bis[4-(2,3-epox) Hazard statem H318 Causes s H317 May caus Precautionary P261 P280	anger hining components of labelling: xypropoxy)butane ypropoxy)phenyl]propane ents serious eye damage. se an allergic skin reaction. statements Avoid breathing dust/fume/gas/mist/vapours/spray. Wear protective gloves / eye protection / face protection. 338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
Signal word Da Hazard-determ 1,4-bis(2,3-epoxy bis[4-(2,3-epoxy Hazard statem H318 Causes s H317 May caus Precautionary P261 P280 P305+P351+P3 P310	anger hining components of labelling: xypropoxy)butane ypropoxy)phenyl]propane ents serious eye damage. se an allergic skin reaction. statements Avoid breathing dust/fume/gas/mist/vapours/spray. Wear protective gloves / eye protection / face protection. 338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor. Take off contaminated clothing and wash it before reuse. Dispose of contents/container in accordance with local/regional/national/
Signal word Da Hazard-determ 1,4-bis(2,3-epoxy bis[4-(2,3-epoxy Hazard statem H318 Causes s H317 May caus Precautionary P261 P280 P305+P351+P3 P310 P362+P364	anger hining components of labelling: xypropoxy)butane ypropoxy)phenyl]propane ents serious eye damage. se an allergic skin reaction. statements Avoid breathing dust/fume/gas/mist/vapours/spray. Wear protective gloves / eye protection / face protection. 338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor. Take off contaminated clothing and wash it before reuse. Dispose of contents/container in accordance with local/regional/national/ international regulations.
<b>Signal word</b> Da <b>Hazard-determ</b> 1,4-bis(2,3-epoxy) <b>Hazard statem</b> H318 Causes s H317 May cause <b>Precautionary</b> P261 P280 P305+P351+P3 P310 P362+P364 P501 <b>2.3 Other haza</b>	anger hining components of labelling: xypropoxy)butane ypropoxy)phenyl]propane ents serious eye damage. se an allergic skin reaction. statements Avoid breathing dust/fume/gas/mist/vapours/spray. Wear protective gloves / eye protection / face protection. 338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor. Take off contaminated clothing and wash it before reuse. Dispose of contents/container in accordance with local/regional/national/ international regulations.
<b>Signal word</b> Da <b>Hazard-determ</b> 1,4-bis(2,3-epoxy) <b>Hazard statem</b> H318 Causes s H317 May cause <b>Precautionary</b> P261 P280 P305+P351+P3 P310 P362+P364 P501 <b>2.3 Other haza</b>	anger hining components of labelling: xypropoxy)butane ypropoxy)phenyl]propane tents terious eye damage. te an allergic skin reaction. statements Avoid breathing dust/fume/gas/mist/vapours/spray. Wear protective gloves / eye protection / face protection. 338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor. Take off contaminated clothing and wash it before reuse. Dispose of contents/container in accordance with local/regional/national/ international regulations. Irds T and vPvB assessment

# SECTION 3: Composition/information on ingredients

· 3.2 Mixtures

· Description: Mixture of substances listed below with nonhazardous additions.

#### · Dangerous components: CAS: 1675-54-3 bis[4-(2,3-epoxypropoxy)phenyl]propane >25-≤100% EINECS: 216-823-5 Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317, EUH205 Specific concentration limits: Eye Irrit. 2; H319: C ≥ 5 % Skin Irrit. 2; H315: C ≥ 5 % CAS: 2425-79-8 1,4-bis(2,3-epoxypropoxy)butane >25-≤50% EINECS: 219-371-7 Eye Dam. 1, H318; () Acute Tox. 4, H312; Acute Tox. 4, H332; Skin Irrit. 2, H315; Skin Sens. 1, H317 (Contd. on page 3)

Page 3/8

# Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 09.10.2023

Version number 2 (replaces version 1)

Revision: 09.10.2023

Trade name: Epicol 530G Part A

(Contd. of page 2) • Additional information: For the wording of the listed hazard phrases refer to section 16.

#### **SECTION 4: First aid measures**

- · 4.1 Description of first aid measures
- · General information: Immediately remove any clothing soiled by the product.
- · After inhalation:

Supply fresh air and to be sure call for a doctor.

- In case of unconsciousness place patient stably in side position for transportation.
- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact:

Rinse opened eye for several minutes under running water. Then consult a doctor.

- After swallowing: If symptoms persist consult doctor.
- **4.2 Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **4.3 Indication of any immediate medical attention and special treatment needed** No further relevant information available.

# **SECTION 5: Firefighting measures**

#### · 5.1 Extinguishing media

• Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.

- · 5.2 Special hazards arising from the substance or mixture
- No further relevant information available.
- 5.3 Advice for firefighters
- · Protective equipment: No special measures required.

#### **SECTION 6: Accidental release measures**

**6.1 Personal precautions, protective equipment and emergency procedures** Wear protective equipment. Keep unprotected persons away.

- · 6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- $^{\circ}$  6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Use neutralising agent.

Dispose contaminated material as waste according to section 13.

- Ensure adequate ventilation.
- **6.4 Reference to other sections** See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

# **SECTION 7: Handling and storage**

- **7.1 Precautions for safe handling** Ensure good ventilation/exhaustion at the workplace.
- Prevent formation of aerosols.

· Information about fire - and explosion protection: No special measures required.

- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep container tightly sealed.

(Contd. on page 4)

Page 4/8

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 09.10.2023

Version number 2 (replaces version 1)

Revision: 09.10.2023

Trade name: Epicol 530G Part A

· 7.3 Specific end use(s) No further relevant information available.

(Contd. of page 3)

# **SECTION 8: Exposure controls/personal protection**

#### · 8.1 Control parameters

- **Ingredients with limit values that require monitoring at the workplace:** The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.
- Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- Appropriate engineering controls No further data; see section 7.
- Individual protection measures, such as personal protective equipment
- · General protective and hygienic measures:
- Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing Wash hands before breaks and at the end of work. Avoid contact with the skin.
- Avoid contact with the eyes and skin.

#### • Respiratory protection:

- Not necessary if room is well-ventilated.
- In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.
- · Hand protection



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

Eye/face protection



Tightly sealed goggles

· Body protection: Protective work clothing

9.1 Information on basic physi	cal and chemical properties	
General Information		
Physical state	Fluid	
Colour:	Yellow	

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 09.10.2023

Version number 2 (replaces version 1)

Revision: 09.10.2023

#### Trade name: Epicol 530G Part A

	(Contd. of page
· Odour:	Weak, characteristic
· Odour threshold:	Not determined.
<ul> <li>Melting point/freezing point:</li> </ul>	Undetermined.
Boiling point or initial boiling point and	
boiling range	>200 °C
Flammability	Not applicable.
· Lower and upper explosion limit	
· Lower:	Not determined.
· Upper:	Not determined.
· Flash point:	140 °C
<sup>•</sup> Decomposition temperature:	Not determined.
· pH	Not determined.
· Viscosity:	Not determined.
· Kinematic viscosity	Not determined.
· Dynamic at 20 °C:	150 mPas
· Solubility	150 111 - 45
water:	Not miscible or difficult to mix.
· Partition coefficient n-octanol/water (log	
value)	Not determined.
Vapour pressure at 20 °C:	>0 hPa
Density and/or relative density	
<sup>·</sup> Density at 20 °C:	1.12 g/cm³
<sup>·</sup> Relative density	Not determined.
<sup>.</sup> Vapour density	Not determined.
<ul> <li>Form:</li> <li>Important information on protection of hea and environment, and on safety.</li> </ul>	Fluid Ith
Ignition temperature:	Product is not selfigniting.
Explosive properties:	Product does not present an explosion hazard.
Solvent content:	
· VOC (EC)	0.00 %
- \/	0.00 %
· Solids content:	0.0 %
Solids content:	
Solids content: Change in condition Evaporation rate	0.0 % Not determined.
Solids content: Change in condition Evaporation rate Information with regard to physical hazard	0.0 % Not determined.
Solids content: Change in condition Evaporation rate Information with regard to physical hazard classes	0.0 % Not determined.
<ul> <li>Solids content:</li> <li>Change in condition</li> <li>Evaporation rate</li> <li>Information with regard to physical hazard classes</li> <li>Explosives</li> </ul>	0.0 % Not determined. Void
<ul> <li>Solids content:</li> <li>Change in condition</li> <li>Evaporation rate</li> <li>Information with regard to physical hazard classes</li> <li>Explosives</li> <li>Flammable gases</li> </ul>	0.0 % Not determined. Void Void
<ul> <li>Solids content:</li> <li>Change in condition</li> <li>Evaporation rate</li> <li>Information with regard to physical hazard classes</li> <li>Explosives</li> <li>Flammable gases</li> <li>Aerosols</li> </ul>	0.0 % Not determined. Void Void Void
<ul> <li>Solids content:</li> <li>Change in condition</li> <li>Evaporation rate</li> <li>Information with regard to physical hazard classes</li> <li>Explosives</li> <li>Flammable gases</li> <li>Aerosols</li> <li>Oxidising gases</li> </ul>	0.0 % Not determined. Void Void Void Void
<ul> <li>Solids content:</li> <li>Change in condition</li> <li>Evaporation rate</li> <li>Information with regard to physical hazard classes</li> <li>Explosives</li> <li>Flammable gases</li> <li>Aerosols</li> <li>Oxidising gases</li> <li>Gases under pressure</li> </ul>	0.0 % Not determined. Void Void Void Void Void Void
<ul> <li>Solids content:</li> <li>Change in condition</li> <li>Evaporation rate</li> <li>Information with regard to physical hazard classes</li> <li>Explosives</li> <li>Flammable gases</li> <li>Aerosols</li> <li>Oxidising gases</li> <li>Gases under pressure</li> <li>Flammable liquids</li> </ul>	0.0 % Not determined. Void Void Void Void Void Void Void
<ul> <li>Solids content:</li> <li>Change in condition</li> <li>Evaporation rate</li> <li>Information with regard to physical hazard classes</li> <li>Explosives</li> <li>Flammable gases</li> <li>Aerosols</li> <li>Oxidising gases</li> <li>Gases under pressure</li> <li>Flammable liquids</li> <li>Flammable solids</li> </ul>	0.0 % Not determined. Void Void Void Void Void Void Void Void
<ul> <li>Solids content:</li> <li>Change in condition</li> <li>Evaporation rate</li> <li>Information with regard to physical hazard classes</li> <li>Explosives</li> <li>Flammable gases</li> <li>Aerosols</li> <li>Oxidising gases</li> <li>Gases under pressure</li> <li>Flammable liquids</li> <li>Flammable solids</li> <li>Self-reactive substances and mixtures</li> </ul>	0.0 % Not determined. Void Void Void Void Void Void Void Void
<ul> <li>Solids content:</li> <li>Change in condition</li> <li>Evaporation rate</li> <li>Information with regard to physical hazard classes</li> <li>Explosives</li> <li>Flammable gases</li> <li>Aerosols</li> <li>Oxidising gases</li> <li>Gases under pressure</li> <li>Flammable liquids</li> <li>Flammable solids</li> <li>Self-reactive substances and mixtures</li> <li>Pyrophoric liquids</li> </ul>	0.0 % Not determined. Void Void Void Void Void Void Void Void
<ul> <li>Solids content:</li> <li>Change in condition</li> <li>Evaporation rate</li> <li>Information with regard to physical hazard classes</li> <li>Explosives</li> <li>Flammable gases</li> <li>Aerosols</li> <li>Oxidising gases</li> <li>Gases under pressure</li> <li>Flammable liquids</li> <li>Flammable solids</li> <li>Self-reactive substances and mixtures</li> <li>Pyrophoric liquids</li> <li>Pyrophoric solids</li> </ul>	0.0 % Not determined. Void Void Void Void Void Void Void Void
<ul> <li>Solids content:</li> <li>Change in condition</li> <li>Evaporation rate</li> <li>Information with regard to physical hazard classes</li> <li>Explosives</li> <li>Flammable gases</li> <li>Aerosols</li> <li>Oxidising gases</li> <li>Gases under pressure</li> <li>Flammable liquids</li> <li>Flammable solids</li> <li>Self-reactive substances and mixtures</li> <li>Pyrophoric liquids</li> <li>Self-heating substances and mixtures</li> </ul>	0.0 % Not determined. Void Void Void Void Void Void Void Void
<ul> <li>Solids content:</li> <li>Change in condition</li> <li>Evaporation rate</li> <li>Information with regard to physical hazard classes</li> <li>Explosives</li> <li>Flammable gases</li> <li>Aerosols</li> <li>Oxidising gases</li> <li>Gases under pressure</li> <li>Flammable liquids</li> <li>Flammable solids</li> <li>Self-reactive substances and mixtures</li> <li>Pyrophoric solids</li> <li>Self-heating substances and mixtures</li> <li>Substances and mixtures, which emit</li> </ul>	0.0 % Not determined. Void Void Void Void Void Void Void Void
<ul> <li>Solids content:</li> <li>Change in condition</li> <li>Evaporation rate</li> <li>Information with regard to physical hazard classes</li> <li>Explosives</li> <li>Flammable gases</li> <li>Aerosols</li> <li>Oxidising gases</li> <li>Gases under pressure</li> <li>Flammable liquids</li> <li>Flammable solids</li> <li>Self-reactive substances and mixtures</li> <li>Pyrophoric liquids</li> <li>Self-heating substances and mixtures</li> <li>Substances and mixtures, which emit flammable gases in contact with water</li> </ul>	0.0 % Not determined. Void Void Void Void Void Void Void Void
<ul> <li>Solids content:</li> <li>Change in condition</li> <li>Evaporation rate</li> <li>Information with regard to physical hazard classes</li> <li>Explosives</li> <li>Flammable gases</li> <li>Aerosols</li> <li>Oxidising gases</li> <li>Gases under pressure</li> <li>Flammable liquids</li> <li>Flammable solids</li> <li>Self-reactive substances and mixtures</li> <li>Pyrophoric liquids</li> <li>Self-heating substances and mixtures</li> <li>Substances and mixtures, which emit flammable gases in contact with water</li> <li>Oxidising liquids</li> </ul>	0.0 % Not determined. Void Void Void Void Void Void Void Void
<ul> <li>Solids content:</li> <li>Change in condition</li> <li>Evaporation rate</li> <li>Information with regard to physical hazard classes</li> <li>Explosives</li> <li>Flammable gases</li> <li>Aerosols</li> <li>Oxidising gases</li> <li>Gases under pressure</li> <li>Flammable liquids</li> <li>Flammable solids</li> <li>Self-reactive substances and mixtures</li> <li>Pyrophoric liquids</li> <li>Self-heating substances and mixtures</li> <li>Substances and mixtures, which emit flammable gases in contact with water</li> <li>Oxidising liquids</li> <li>Oxidising liquids</li> </ul>	0.0 % Not determined. Void Void Void Void Void Void Void Void
<ul> <li>Solids content:</li> <li>Change in condition</li> <li>Evaporation rate</li> <li>Information with regard to physical hazard classes</li> <li>Explosives</li> <li>Flammable gases</li> <li>Aerosols</li> <li>Oxidising gases</li> <li>Gases under pressure</li> <li>Flammable liquids</li> <li>Flammable solids</li> <li>Self-reactive substances and mixtures</li> <li>Pyrophoric liquids</li> <li>Self-heating substances and mixtures</li> <li>Substances and mixtures, which emit flammable gases in contact with water</li> <li>Oxidising liquids</li> </ul>	0.0 % Not determined. Void Void Void Void Void Void Void Void

# Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 09.10.2023

Version number 2 (replaces version 1)

Revision: 09.10.2023

(Contd. of page 5)

Trade name: Epicol 530G Part A

Desensitised explosives

Void

# **SECTION 10: Stability and reactivity**

- 10.1 Reactivity No further relevant information available.
- 10.2 Chemical stability
- $\cdot$  Thermal decomposition / conditions to be avoided:
- No decomposition if used according to specifications.
- 10.3 Possibility of hazardous reactions No dangerous reactions known.
- 10.4 Conditions to avoid No further relevant information available.
- · 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: No dangerous decomposition products known.

## **SECTION 11: Toxicological information**

· 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

• Acute toxicity Based on available data, the classification criteria are not met.

## · LD/LC50 values relevant for classification:

ATE (Acute Toxicity Estimates)

Dermal LD50 >2,202–≤3,670 mg/kg

Inhalative LC50/4 h >22-≤36.7 mg/l

• Skin corrosion/irritation Causes skin irritation.

- · Serious eye damage/irritation Causes serious eye damage.
- Respiratory or skin sensitisation May cause an allergic skin reaction.
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- **Reproductive toxicity** Based on available data, the classification criteria are not met.
- $\cdot$  STOT-single exposure Based on available data, the classification criteria are not met.
- STOT-repeated exposure Based on available data, the classification criteria are not met.
- Aspiration hazard Based on available data, the classification criteria are not met.
- · 11.2 Information on other hazards

· Endocrine disrupting properties

None of the ingredients is listed.

# **SECTION 12: Ecological information**

## · 12.1 Toxicity

- · Aquatic toxicity: No further relevant information available.
- **12.2 Persistence and degradability** No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.
- **12.4 Mobility in soil** No further relevant information available.
- 12.5 Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- 12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

- 12.7 Other adverse effects
- Additional ecological information:
- · General notes:

Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water Do not allow product to reach ground water, water course or sewage system. Must not reach sewage water or drainage ditch undiluted or unneutralised.

(Contd. on page 7)

Page 7/8

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 09.10.2023

Version number 2 (replaces version 1)

Revision: 09.10.2023

#### Trade name: Epicol 530G Part A

Danger to drinking water if even small quantities leak into the ground.

(Contd. of page 6)

#### **SECTION 13: Disposal considerations**

#### · 13.1 Waste treatment methods

- Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

# · European waste catalogue

-	
08 04 09*	waste adhesives and sealants containing organic solvents or other hazardous substances
HP4	Irritant - skin irritation and eye damage
HP6	Acute Toxicity
HP13	Sensitising

#### · Uncleaned packaging:

• Recommendation: Disposal must be made according to official regulations.

SECTION 14: Transport informat	tion
<ul> <li>14.1 UN number or ID number</li> <li>ADR, IMDG, IATA</li> </ul>	not regulated
<ul> <li>14.2 UN proper shipping name</li> <li>ADR, IMDG, IATA</li> </ul>	not regulated
<ul> <li>14.3 Transport hazard class(es)</li> </ul>	
· ADR, ADN, IMDG, IATA · Class	not regulated
<ul> <li>14.4 Packing group</li> <li>ADR, IMDG, IATA</li> </ul>	not regulated
· 14.5 Environmental hazards:	Not applicable.
· 14.6 Special precautions for user	Not applicable.
<ul> <li>14.7 Maritime transport in bulk accordi IMO instruments</li> </ul>	ng to Not applicable.
· UN "Model Regulation":	not regulated

## **SECTION 15: Regulatory information**

 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

· Directive 2012/18/EU

· Named dangerous substances - ANNEX I None of the ingredients is listed.

- REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3
- DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment Annex II
- None of the ingredients is listed.

(Contd. on page 8)

# Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 09.10.2023

Version number 2 (replaces version 1)

Revision: 09.10.2023

(Contd. of page 7)

#### Trade name: Epicol 530G Part A

## · REGULATION (EU) 2019/1148

• Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

#### · Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

#### · Regulation (EC) No 273/2004 on drug precursors

None of the ingredients is listed.

Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

None of the ingredients is listed.

• 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information				
This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship. This Safety Data Sheets is in compliance with Regulation (EC) No 1907/2006, Article 31 as amended by Regulation (EU) 2020/878.				
<ul> <li>Relevant phrases</li> <li>H312 Harmful in contact with skin.</li> <li>H315 Causes skin irritation.</li> <li>H317 May cause an allergic skin reaction.</li> <li>H318 Causes serious eye damage.</li> <li>H319 Causes serious eye irritation.</li> <li>H332 Harmful if inhaled.</li> <li>EUH205 Contains epoxy constituents. May produce an allergic reaction.</li> </ul>				
Classification according to Regulation (EC) No 1272/2008				
Skin corrosion/irritation Serious eye damage/irritation Skin sensitisationThe classification of the mixture is generally based on the calculation method using substance data according to Regulation (EC) No 1272/2008.				
<ul> <li>Contact: msds@apm-technica.com</li> <li>Date of previous version: 09.10.2023</li> <li>Version number of previous version: 1</li> <li>Abbreviations and acronyms: <ul> <li>ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)</li> <li>IMDG: International Maritime Code for Dangerous Goods</li> <li>IATA: International Maritime Code for Dangerous Goods</li> <li>IATA: International Air Transport Association</li> <li>GHS: Globally Harmonised System of Classification and Labelling of Chemicals</li> <li>EINECS: European Inventory of Existing Commercial Chemical Substances</li> <li>ELINCS: European List of Notified Chemical Substances</li> <li>CAS: Chemical Abstracts Service (division of the American Chemical Society)</li> <li>VOC: Volatile Organic Compounds (USA, EU)</li> <li>LC50: Lethal concentration, 50 percent</li> <li>LD50: Lethal dose, 50 percent</li> <li>PBT: Persistent and very Bioaccumulative</li> <li>Acute Tox. 4: Acute toxicity – Category 4</li> <li>Skin Irrit. 2: Skin corrosion/irritation – Category 1</li> <li>Eye Dam. 1: Serious eye damage/eye irritation – Category 2</li> <li>Skin Sens. 1: Skin sensitisation – Category 1</li> <li>* Data compared to the previous version altered.</li> </ul> </li> </ul>				