


Printing date 08.12.2023

Version number 3 (replaces version 2)

Revision: 08.12.2023



Printing date 08.12.2023

Version number 3 (replaces version 2)

Revision: 08.12.2023

Trade name: Epicol 230004 Part A

	(Contd. of page
	ining components of labelling:
700)	t: bisphenol-A-(epichlorhydrin) epoxy resin (number average molecular weight <
Hazard statem	ents
H315 Causes sl	kin irritation.
H319 Causes so	erious eye irritation.
H317 May caus	e an allergic skin reaction.
H411 Toxic to a	quatic life with long lasting effects.
Precautionary	statements
P261	Avoid breathing dust/fume/gas/mist/vapours/spray.
P273	Avoid release to the environment.
P280	Wear protective gloves / eye protection / face protection.
P305+P351+P3	38 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact
	lenses, if present and easy to do. Continue rinsing.
P333+P313	If skin irritation or rash occurs: Get medical advice/attention.
P501	Dispose of contents/container in accordance with local/regional/national/
	international regulations.
Additional info	
	constituents. May produce an allergic reaction.
Labelling of pa	ckages where the contents do not exceed 125 ml
Hazard pictogr	
GHS07 GHS0)9
Signal word W	arning
Hazard-determ	ining components of labelling:
	t: bisphenol-A-(epichlorhydrin) epoxy resin (number average molecular weight \leq
700)	
Henerd statem	ents
Hazard statem	e an allergic skin reaction.
H317 May cause Precautionary	
H317 May cause Precautionary P261 Avo	pid breathing dust/fume/gas/mist/vapours/spray.
H317 May cause Precautionary P261 Avo P280 We	bid breathing dust/fume/gas/mist/vapours/spray. ar protective gloves / eye protection / face protection.
H317 May cause Precautionary P261 Avc P280 We P333+P313 If sl	bid breathing dust/fume/gas/mist/vapours/spray. ar protective gloves / eye protection / face protection. kin irritation or rash occurs: Get medical advice/attention.
H317 May cause Precautionary P261 Avc P280 We P333+P313 If si P501 Dis	bid breathing dust/fume/gas/mist/vapours/spray. Par protective gloves / eye protection / face protection. Kin irritation or rash occurs: Get medical advice/attention. pose of contents/container in accordance with local/regional/national/international
H317 May cause Precautionary P261 Avc P280 We P333+P313 If si P501 Dis reg Reg	bid breathing dust/fume/gas/mist/vapours/spray. Par protective gloves / eye protection / face protection. Kin irritation or rash occurs: Get medical advice/attention. pose of contents/container in accordance with local/regional/national/international ulations.
H317 May cause Precautionary P261 Avo P280 We P333+P313 If sl P501 Dis reg 2.3 Other hazar	bid breathing dust/fume/gas/mist/vapours/spray. Ar protective gloves / eye protection / face protection. kin irritation or rash occurs: Get medical advice/attention. pose of contents/container in accordance with local/regional/national/international ulations. rds
H317 May cause Precautionary P261 Ave P280 We P333+P313 If sl P501 Dis reg 2.3 Other hazar Results of PBT	bid breathing dust/fume/gas/mist/vapours/spray. ear protective gloves / eye protection / face protection. kin irritation or rash occurs: Get medical advice/attention. pose of contents/container in accordance with local/regional/national/international ulations. rds and vPvB assessment
H317 May cause Precautionary P261 Ave P280 We P333+P313 If sl P501 Dis reg 2.3 Other hazar Results of PBT PBT: Not applie	bid breathing dust/fume/gas/mist/vapours/spray. ear protective gloves / eye protection / face protection. kin irritation or rash occurs: Get medical advice/attention. pose of contents/container in accordance with local/regional/national/international ulations. rds and vPvB assessment cable.
H317 May cause Precautionary P261 Avo P280 We P333+P313 If st P501 Dis reg 2.3 Other hazar Results of PBT PBT: Not applic vPvB: Not appli	bid breathing dust/fume/gas/mist/vapours/spray. ear protective gloves / eye protection / face protection. kin irritation or rash occurs: Get medical advice/attention. pose of contents/container in accordance with local/regional/national/international ulations. rds and vPvB assessment cable. icable.
H317 May cause Precautionary P261 Avo P280 We P333+P313 If sl P501 Dis reg 2.3 Other hazar Results of PBT PBT: Not applie vPvB: Not applie	bid breathing dust/fume/gas/mist/vapours/spray. ear protective gloves / eye protection / face protection. kin irritation or rash occurs: Get medical advice/attention. pose of contents/container in accordance with local/regional/national/international ulations. rds and vPvB assessment eable.

· 3.2 Mixtures

· Description: Mixture of substances listed below with nonhazardous additions.

CAS: 25068-38-6 NLP: 500-033-5	reaction product: bisphenol-A-(epichlorhydrin) epoxy resin (number average molecular weight \leq 700)	>50–≤100%
	Aquatic Chronic 2, H411; () Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317, EUH205	
	Specific concentration limits: Eye Irrit. 2; H319: C ≥ 5 % Skin Irrit. 2; H315: C ≥ 5 %	

Printing date 08.12.2023

Version number 3 (replaces version 2)

Revision: 08.12.2023

Trade name: Epicol 230004 Part A

CAS: 67762-90-7	Dimethyl silicones and siloxanes, reaction products with silica	(Contd. of page 2) ≥0–≤10%
	Acute Tox. 4, H332	
CAS: 128-37-0	Butylated hydroxytoluene	≥0.25–<2.5%
EINECS: 204-881-4	Aquatic Acute 1, H400; Aquatic Chronic 1, H410; () Acute Tox. 4, H302	
· Additional informat	tion: For the wording of the listed hazard phrases refer to section	n 16

· Additional information: For the wording of the listed hazard phrases refer to se

SECTION 4: First aid measures

· 4.1 Description of first aid measures

• General information: Immediately remove any clothing soiled by the product.

· After inhalation:

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

After skin contact:

If skin irritation continues, consult a doctor.

Immediately wash with water and soap and rinse thoroughly.

After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

- After swallowing: If symptoms persist consult doctor.
- **4.2 Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **4.3 Indication of any immediate medical attention and special treatment needed** No further relevant information available.

SECTION 5: Firefighting measures

· 5.1 Extinguishing media

• Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions. • 5.2 Special hazards arising from the substance or mixture

In case of fire, the following can be released:

Carbon monoxide (CO)

- 5.3 Advice for firefighters
- · Protective equipment: No special measures required.
- Additional information

Collect contaminated fire fighting water separately. It must not enter the sewage system. Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures
Ensure adequate ventilation
Wear protective clothing.

6.2 Environmental precautions:
Do not allow product to reach sewage system or any water course.
Inform respective authorities in case of seepage into water course or sewage system.
Do not allow to enter sewers/ surface or ground water.
6.3 Methods and material for containment and cleaning up:
Send for recovery or disposal in suitable receptacles.
Dispose contaminated material as waste according to section 13.
Ensure adequate ventilation.
6.4 Reference to other sections
See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.

(Contd. on page 4)

Page 4/10

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 08.12.2023

Version number 3 (replaces version 2)

Revision: 08.12.2023

Trade name: Epicol 230004 Part A

See Section 13 for disposal information.

(Contd. of page 3)

SECTION 7: Handling and storage

- 7.1 Precautions for safe handling Ensure good ventilation/exhaustion at the workplace. • Information about fire - and explosion protection: No special measures required.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: Store only in the original receptacle.
- Information about storage in one common storage facility:
- Store away from foodstuffs.
- Do not store with amines.
- Further information about storage conditions: Keep container tightly sealed.
- 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

· 8.1 Control parameters

· Ingredients with limit values that require monitoring at the workplace:

128-37-0 Butylated hydroxytoluene

OEL Long-term value: 2 mg/m³

• Additional information: The lists valid during the making were used as basis.

- · 8.2 Exposure controls
- Appropriate engineering controls No further data; see section 7.
- Individual protection measures, such as personal protective equipment
- General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing Wash hands before breaks and at the end of work. Avoid contact with the eyes and skin.

- Respiratory protection:
- Not necessary if room is well-ventilated.

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

Hand protection



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

(Contd. on page 5)

Printing date 08.12.2023

Version number 3 (replaces version 2)

Revision: 08.12.2023

(Contd. of page 4)

Trade name: Epicol 230004 Part A

· Eye/face protection



Tightly sealed goggles

· Body protection: Protective work clothing

SECTION 9: Physical and chemical properties

 9.1 Information on basic physical and chemi General Information 	cal properties
· Physical state	Solid
· Colour:	White
· Odour:	Characteristic
· Odour threshold:	Not determined.
· Melting point/freezing point:	Undetermined.
· Boiling point or initial boiling point and	chaotonninou.
boiling range	Indetermined
	Undetermined.
· Flammability	Not determined.
Lower and upper explosion limit	
· Lower:	Not determined.
· Upper:	Not determined.
· Flash point:	150 °C
 Decomposition temperature: 	Not determined.
pH	Not applicable.
· Viscosity:	
· Kinematic viscosity	Not applicable.
· Dynamic at 20 °C:	150,000–400,000 mPas
· Solubility	
· water:	Insoluble.
· Partition coefficient n-octanol/water (log	
value)	Not determined.
,	
· Vapour pressure:	Not applicable.
Density and/or relative density	4.0
Density at 20 °C:	1.2 g/cm ³
Relative density	Not determined.
· Vapour density	Not applicable.
 Particle characteristics 	
See section 3.	
• 9.2 Other information	
· Appearance:	
· Form:	Pasty
· Important information on protection of healt	•
and environment, and on safety.	
	Product is not selfigniting
Ignition temperature:	Product is not selfigniting.
· Explosive properties:	Product does not present an explosion hazard.
Solvent content:	400.0.0/
Solids content:	100.0 %
Change in condition	
· Evaporation rate	Not applicable.
· Information with regard to physical hazard	
classes	
· Explosives	Void
· Flammable gases	Void
i uninable gases	
	(Contd. on page 6)
	I

Printing date 08.12.2023

Version number 3 (replaces version 2)

Revision: 08.12.2023

Trade name: Epicol 230004 Part A

		(Contd. of page
Aerosols	Void	
· Oxidising gases	Void	
Gases under pressure	Void	
Flammable liquids	Void	
Flammable solids	Void	
Self-reactive substances and mixtures	Void	
· Pyrophoric liquids	Void	
Pyrophoric solids	Void	
Self-heating substances and mixtures	Void	
Substances and mixtures, which emit		
flammable gases in contact with water	Void	
Oxidising liquids	Void	
Oxidising solids	Void	
Organic peroxides	Void	
· Corrosive to metals	Void	
Desensitised explosives	Void	

SECTION 10: Stability and reactivity

· 10.1 Reactivity No further relevant information available.

- · 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided:
- No decomposition if used according to specifications.
- 10.3 Possibility of hazardous reactions No dangerous reactions known.
- · 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: Amines. Strong Acid. Strong oxidizing agents.
- · 10.6 Hazardous decomposition products: Carbon monoxide and carbon dioxide

SECTION 11: Toxicological information

- · 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
- Acute toxicity Based on available data, the classification criteria are not met.

· LD/LC50 values relevant for classification:

ATE (Acute Toxicity Estimates)

Inhalative LC50/4 h 30-150 mg/l

128-37-0 Butylated hydroxytoluene

Oral LD50 890 mg/kg (rat)

· Skin corrosion/irritation Causes skin irritation.

- · Serious eye damage/irritation Causes serious eye irritation.
- · Respiratory or skin sensitisation May cause an allergic skin reaction.
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- Reproductive toxicity Based on available data, the classification criteria are not met.
- STOT-single exposure Based on available data, the classification criteria are not met.
- **STOT-repeated exposure** Based on available data, the classification criteria are not met.
- Aspiration hazard Based on available data, the classification criteria are not met.
- 11.2 Information on other hazards
- · Endocrine disrupting properties
- 128-37-0 Butylated hydroxytoluene

List II

(Contd. on page 7)

Page 7/10

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 08.12.2023

Version number 3 (replaces version 2)

Revision: 08.12.2023

Trade name: Epicol 230004 Part A

(Contd. of page 6)

SECTION 12: Ecological information

- · 12.1 Toxicity
- · Aquatic toxicity: No further relevant information available.
- 12.2 Persistence and degradability No further relevant information available.
- · 12.3 Bioaccumulative potential No further relevant information available.
- **12.4 Mobility in soil** No further relevant information available.
- 12.5 Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- 12.6 Endocrine disrupting properties
- For information on endocrine disrupting properties see section 11.
- · 12.7 Other adverse effects
- · Remark: Toxic for fish
- · Additional ecological information:
- · General notes:

Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water Do not allow product to reach ground water, water course or sewage system. Danger to drinking water if even small quantities leak into the ground. Also poisonous for fish and plankton in water bodies. Toxic for aquatic organisms

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

· Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

• European waste catalogue

08 04 09*	waste adhesives and sealants containing organic solvents or other hazardous substances
HP4	Irritant - skin irritation and eye damage
HP13	Sensitising
HP14	Ecotoxic

· Uncleaned packaging:

• Recommendation: Disposal must be made according to official regulations.

SECTION 14: Transport informa	ition
 14.1 UN number or ID number ADR, IMDG, IATA 	UN3077
 14.2 UN proper shipping name ADR 	3077 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (reaction product: bisphenol-A-(epichlorhydrin) epoxy resin (number average molecular weight ≤ 700))
·IMDG	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (reaction product: bisphenol-A-(epichlorhydrin) epoxy resin (number average molecular weight ≤ 700)), MARINE POLLUTANT
·IATA	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (reaction product: bisphenol-A-(epichlorhydrin) epoxy resin (number (Contd. on page 8)

Page 8/10

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 08.12.2023

Version number 3 (replaces version 2)

Revision: 08.12.2023

Trade name: Epicol 230004 Part A

	(Contd. of page
44.2 Trononout horord alass(as)	average molecular weight ≤ 700))
14.3 Transport hazard class(es)	
ADR, IMDG, IATA	
· Class	9 Miscellaneous dangerous substances and articles. 9
14.4 Packing group ADR, IMDG, IATA	9
Marine pollutant: Special marking (ADR): Special marking (IATA):	Product contains environmentally hazardous substances: reaction product: bisphenol-A- (epichlorhydrin) epoxy resin (number average molecular weight ≤ 700) Symbol (fish and tree) Symbol (fish and tree) Symbol (fish and tree)
14.6 Special precautions for user Hazard identification number (Kemler code EMS Number: Stowage Category	Warning: Miscellaneous dangerous substances and articles. 9): 90 F-A,S-F A
 14.7 Maritime transport in bulk according t IMO instruments 	Not applicable.
Transport/Additional information:	
ADR Limited quantities (LQ) Excepted quantities (EQ) Transport category Tunnel restriction code	5 kg Code: E1 Maximum net quantity per inner packaging: 30 g Maximum net quantity per outer packaging: 1000 g 3 (-)
· IMDG · Limited quantities (LQ) · Excepted quantities (EQ)	5 kg Code: E1 Maximum net quantity per inner packaging: 30 g Maximum net quantity per outer packaging: 1000 g
UN "Model Regulation":	UN 3077 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (REACTION PRODUCT: BISPHENOL-A-(EPICHLORHYDRIN) EPOXY RESIN (NUMBER AVERAGE MOLECULAR WEIGHT ≤ 700)), 9, III

(Contd. on page 9)

Page 9/10

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 08.12.2023

Version number 3 (replaces version 2)

Revision: 08.12.2023

Trade name: Epicol 230004 Part A

(Contd. of page 8)

SECTION 15: Regulatory information 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture · Directive 2012/18/EU · Named dangerous substances - ANNEX I None of the ingredients is listed. · Seveso category E2 Hazardous to the Aquatic Environment Qualifying quantity (tonnes) for the application of lower-tier requirements 200 t · Qualifying quantity (tonnes) for the application of upper-tier requirements 500 t · DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II None of the ingredients is listed. · REGULATION (EU) 2019/1148 Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3)) None of the ingredients is listed. Annex II - REPORTABLE EXPLOSIVES PRECURSORS None of the ingredients is listed. Regulation (EC) No 273/2004 on drug precursors None of the ingredients is listed. Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors None of the ingredients is listed. 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship. This Safety Data Sheets is in compliance with Regulation (EC) No 1907/2006, Article 31 as amended by Regulation (EU) 2020/878.

Relevant phrases

- H302 Harmful if swallowed.
- H315 Causes skin irritation.
- H317 May cause an allergic skin reaction.
- H319 Causes serious eye irritation.
- H332 Harmful if inhaled.
- H400 Very toxic to aquatic life.
- H410 Very toxic to aquatic life with long lasting effects.

H411 Toxic to aquatic life with long lasting effects.

EUH205 Contains epoxy constituents. May produce an allergic reaction.

· Classification according to Regulation (EC) No 1272/2008

, ,	
Skin corrosion/irritation Serious eye damage/irritation Skin sensitisation Hazardous to the aquatic environment - long- term (chronic) aquatic hazard	The classification of the mixture is generally based on the calculation method using substance data according to Regulation (EC) No 1272/2008.
 Department issuing SDS: Technology Contact: msds@apm-technica.com 	

- Dete of provious versions 08 12 2022
- Date of previous version: 08.12.2023 • Version number of previous version: 2

(Contd. on page 10)

Printing date 08.12.2023

Version number 3 (replaces version 2)

Revision: 08.12.2023

Trade name: Epicol 230004 Part A

(Contd. of p	age 9)
Abbreviations and acronyms:	
ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Conce the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals	rning
EINECS: European Inventory of Existing Commercial Chemical Substances	
ELINCS: European List of Notified Chemical Substances	
CAS: Chemical Abstracts Service (division of the American Chemical Society)	
LC50: Lethal concentration, 50 percent	
LD50: Lethal dose, 50 percent	
PBT: Persistent, Bioaccumulative and Toxic	
vPvB: very Persistent and very Bioaccumulative	
ATE: Acute toxicity estimate values	
Acute Tox. 4: Acute toxicity – Category 4	
Skin Irrit. 2: Skin corrosion/irritation – Category 2	
Eye Irrit. 2: Serious eye damage/eye irritation – Category 2	
Skin Sens. 1: Skin sensitisation – Category 1	
Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1	
Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1	
Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2	
* Data compared to the previous version altered.	
• •	IF