


Printing date 07.12.2023

Version number 2 (replaces version 1)

Revision: 07.12.2023



Printing date 07.12.2023

Version number 2 (replaces version 1)

Revision: 07.12.2023

IE

Trade name: Epicol 12 Part B

	(Contd. of page
· Hazard stateme	
	evere skin burns and eye damage.
	e an allergic skin reaction.
 Precautionary s 	
P280	Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.
P303+P361+P3	53 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].
P305+P351+P3	38 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310	Immediately call a POISON CENTER/doctor.
P362+P364	Take off contaminated clothing and wash it before reuse.
P405	Store locked up.
P405 P501	Dispose of contents/container in accordance with local/regional/national/
	international regulations.
	ckages where the contents do not exceed 125 ml
 Hazard pictogram 	ams
GHS05 GHS0	
-	ining components of labelling:
	(lenoxy)bis(propylamin)
	rlenoxy)bis(propylamin)
Hazard stateme	ents
Hazard stateme H314 Causes se	ents evere skin burns and eye damage.
Hazard stateme H314 Causes se H317 May cause	ents evere skin burns and eye damage. e an allergic skin reaction.
Hazard stateme H314 Causes se H317 May cause Precautionary s	ents evere skin burns and eye damage. e an allergic skin reaction. statements
Hazard stateme H314 Causes se H317 May cause Precautionary s P280	ents evere skin burns and eye damage. e an allergic skin reaction. statements Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.
Hazard stateme H314 Causes se H317 May cause Precautionary s P280 P303+P361+P3	 ents evere skin burns and eye damage. e an allergic skin reaction. statements Wear protective gloves/protective clothing/eye protection/face protection/hearing protection. 53 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skir with water [or shower].
Hazard stateme H314 Causes se H317 May cause Precautionary s P280 P303+P361+P3	 ents evere skin burns and eye damage. e an allergic skin reaction. statements Wear protective gloves/protective clothing/eye protection/face protection/hearing protection. 53 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skir with water [or shower]. 38 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
Hazard stateme H314 Causes se H317 May cause Precautionary s P280 P303+P361+P3	 ents evere skin burns and eye damage. e an allergic skin reaction. statements Wear protective gloves/protective clothing/eye protection/face protection/hearing protection. 53 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skir with water [or shower]. 38 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact
Hazard stateme H314 Causes se H317 May cause Precautionary s P280 P303+P361+P35 P305+P351+P35	 ents evere skin burns and eye damage. e an allergic skin reaction. statements Wear protective gloves/protective clothing/eye protection/face protection/hearing protection. 53 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower]. 38 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
Hazard stateme H314 Causes se H317 May cause Precautionary s P280 P303+P361+P33 P305+P351+P33 P310 P362+P364	 ants evere skin burns and eye damage. e an allergic skin reaction. statements Wear protective gloves/protective clothing/eye protection/face protection/hearing protection. 53 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skir with water [or shower]. 38 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor. Take off contaminated clothing and wash it before reuse.
Hazard stateme H314 Causes se H317 May cause Precautionary s P280 P303+P361+P33 P305+P351+P33 P310	 ants evere skin burns and eye damage. e an allergic skin reaction. statements Wear protective gloves/protective clothing/eye protection/face protection/hearing protection. 53 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skir with water [or shower]. 38 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor. Take off contaminated clothing and wash it before reuse. Store locked up. Dispose of contents/container in accordance with local/regional/national/
Hazard stateme H314 Causes se H317 May cause Precautionary s P280 P303+P361+P3 P305+P351+P3 P310 P362+P364 P405 P501	 ants evere skin burns and eye damage. e an allergic skin reaction. statements Wear protective gloves/protective clothing/eye protection/face protection/hearing protection. 53 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower]. 38 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor. Take off contaminated clothing and wash it before reuse. Store locked up. Dispose of contents/container in accordance with local/regional/national/ international regulations.
Hazard stateme H314 Causes se H317 May cause Precautionary s P280 P303+P361+P33 P305+P351+P33 P310 P362+P364 P405 P501 2.3 Other hazar	 ants evere skin burns and eye damage. e an allergic skin reaction. statements Wear protective gloves/protective clothing/eye protection/face protection/hearing protection. 53 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skir with water [or shower]. 38 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor. Take off contaminated clothing and wash it before reuse. Store locked up. Dispose of contents/container in accordance with local/regional/national/ international regulations.
 Hazard statemed H314 Causes set H317 May cause Precautionary set P280 P303+P361+P33 P305+P351+P33 P310 P362+P364 P405 P501 2.3 Other hazar Results of PBT 	 ants evere skin burns and eye damage. e an allergic skin reaction. statements Wear protective gloves/protective clothing/eye protection/face protection/hearing protection. 53 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skir with water [or shower]. 38 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor. Take off contaminated clothing and wash it before reuse. Store locked up. Dispose of contents/container in accordance with local/regional/national/ international regulations. rds
Hazard stateme H314 Causes se H317 May cause Precautionary s P280 P303+P361+P33 P305+P351+P33 P310 P362+P364 P405 P501 2.3 Other hazar	 ants evere skin burns and eye damage. e an allergic skin reaction. statements Wear protective gloves/protective clothing/eye protection/face protection/hearing protection. 53 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skir with water [or shower]. 38 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor. Take off contaminated clothing and wash it before reuse. Store locked up. Dispose of contents/container in accordance with local/regional/national/ international regulations. rds

SECTION 3: Composition/information on ingredients

· 3.2 Mixtures

CAS: 4246-51-9	3,3'-Oxybis(ethylenoxy)bis(propylamin) ♦ Skin Corr. 1B, H314; Eye Dam. 1, H318; ♦ Skin Sens. 1, H317	>25–≤100%
CAS: 90-72-2 EINECS: 202-013-9	2,4,6-tris(dimethylaminomethyl)phenol Acute Tox. 4, H302; Skin Irrit. 2, H315; Eye Irrit. 2, H319	≥0–<10%

Page 3/9

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 07.12.2023

Version number 2 (replaces version 1)

Revision: 07.12.2023

Trade name: Epicol 12 Part B

(Contd. of page 2) • Additional information: For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

- · 4.1 Description of first aid measures
- General information: Immediately remove any clothing soiled by the product.

• After inhalation:

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

• After skin contact:

If skin irritation continues, consult a doctor.

- Immediately wash with water and soap and rinse thoroughly.
- After eye contact:
- Rinse opened eye for several minutes under running water. Then consult a doctor.
- After swallowing: Drink plenty of water and provide fresh air. Call for a doctor immediately.
- **4.2 Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **4.3 Indication of any immediate medical attention and special treatment needed** No further relevant information available.

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions. • 5.2 Special hazards arising from the substance or mixture
- During heating or in case of fire poisonous gases are produced.
- 5.3 Advice for firefighters
- Protective equipment: Mouth respiratory protective device.

SECTION 6: Accidental release measures

- **6.1 Personal precautions, protective equipment and emergency procedures** Mount respiratory protective device.
- Wear protective equipment. Keep unprotected persons away.
- 6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.

 6.3 Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Use neutralising agent.

Dispose contaminated material as waste according to section 13.

- Ensure adequate ventilation.
- 6.4 Reference to other sections
- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.
- See Section 13 for disposal information.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

- Prevent formation of aerosols.
- · Information about fire and explosion protection: Keep respiratory protective device available.
- 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.

Printing date 07.12.2023

Version number 2 (replaces version 1)

Revision: 07.12.2023

(Contd. of page 3)

Trade name: Epicol 12 Part B

- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep container tightly sealed.
- · 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

- · 8.1 Control parameters
- Ingredients with limit values that require monitoring at the workplace:
- The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.
- Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- Appropriate engineering controls No further data; see section 7.
- Individual protection measures, such as personal protective equipment
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing Wash hands before breaks and at the end of work. Avoid contact with the eyes. Avoid contact with the eyes and skin.

- Respiratory protection:
- Not necessary if room is well-ventilated.

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

Hand protection



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

Eye/face protection



Tightly sealed goggles

• **Body protection:** Protective work clothing

(Contd. on page 5)

Pyrophoric solids

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 07.12.2023

Version number 2 (replaces version 1)

Revision: 07.12.2023

Trade name: Epicol 12 Part B

· General Information

SECTION 9: Physical and chemical properties

 \cdot 9.1 Information on basic physical and chemical properties

General mormation	
[•] Physical state	Fluid
· Colour:	Beige
· Odour:	Amine-like
· Odour threshold:	Not determined.
Melting point/freezing point:	Undetermined.
· Boiling point or initial boiling point and	Shacternined.
boiling range	Undetermined.
Flammability	Not applicable.
Lower and upper explosion limit	
· Lower:	Not determined.
· Upper:	Not determined.
[·] Flash point:	>120 °C
 Decomposition temperature: 	Not determined.
· pH	Not determined.
Viscosity:	
· Kinematic viscosity	Not determined.
Dynamic:	Not determined.
Solubility	
· water:	Not miscible or difficult to mix.
Partition coefficient n-octanol/water (log	
value)	Not determined.
· Vapour pressure at 20 °C:	0 hPa (4246-51-9 3,3'-Oxybis(ethylenoxy)
Develte and/an valation develte	bis(propylamin))
Density and/or relative density	
Density at 20 °C:	1.1 g/cm ³
Relative density	Not determined.
· Vapour density	Not determined.
9.2 Other information	
Appearance:	
· Form:	Pasty
Important information on protection of health	
and environment, and on safety.	
Ignition temperature:	Droduct is not colfigniting
• Explosive properties:	Product is not selfigniting.
	Product does not present an explosion hazard.
Solvent content:	0.00.0/
VOC (EC)	0.00 %
Solids content:	0.0 %
Change in condition	
· Evaporation rate	Not determined.
Information with regard to physical hazard	
classes	
· Explosives	Void
· Flammable gases	Void
Aerosols	Void
• Oxidising gases	Void
Gases under pressure	Void
· Flammahle liquids	
· Flammable liquids · Flammable solids	Void
Flammable solids	Void
Flammable solids Self-reactive substances and mixtures	Void Void
Flammable solids	Void

Void

(Contd. of page 4)

(Contd. on page 6)

IF

Printing date 07.12.2023

Version number 2 (replaces version 1)

Revision: 07.12.2023

Trade name: Epicol 12 Part B

		(Contd. of page 5)
· Self-heating substances and mixtures	Void	
· Substances and mixtures, which emit		
flammable gases in contact with water	Void	
· Oxidising liquids	Void	
Oxidising solids	Void	
· Organic peroxides	Void	
· Corrosive to metals	Void	
· Desensitised explosives	Void	

SECTION 10: Stability and reactivity

· 10.1 Reactivity No further relevant information available.

10.2 Chemical stability

· Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

- 10.3 Possibility of hazardous reactions No dangerous reactions known.
- 10.4 Conditions to avoid No further relevant information available.
- · 10.5 Incompatible materials: No further relevant information available.
- 10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

- · 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
- \cdot Acute toxicity Based on available data, the classification criteria are not met.

· LD/LC50 values relevant for classification:

ATE (Acute Toxicity Estimates)

Oral LD50 10,000–50,000 mg/kg

· Skin corrosion/irritation Causes severe skin burns and eye damage.

- · Serious eye damage/irritation Causes serious eye damage.
- Respiratory or skin sensitisation May cause an allergic skin reaction.
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- Reproductive toxicity Based on available data, the classification criteria are not met.
- **STOT-single exposure** Based on available data, the classification criteria are not met.
- STOT-repeated exposure Based on available data, the classification criteria are not met.
- Aspiration hazard Based on available data, the classification criteria are not met.
- 11.2 Information on other hazards
- · Endocrine disrupting properties

None of the ingredients is listed.

SECTION 12: Ecological information

· 12.1 Toxicity

- · Aquatic toxicity: No further relevant information available.
- **12.2 Persistence and degradability** No further relevant information available.
- **12.3 Bioaccumulative potential** No further relevant information available.
- **12.4 Mobility in soil** No further relevant information available.
- 12.5 Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- · vPvB: Not applicable.
- 12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

(Contd. on page 7)

IE

Printing date 07.12.2023

Version number 2 (replaces version 1)

Revision: 07.12.2023

Trade name: Epicol 12 Part B

(Contd. of page 6)

- 12.7 Other adverse effects
- Additional ecological information:
- General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

Must not reach sewage water or drainage ditch undiluted or unneutralised.

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

· Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

[.] European	European waste catalogue	
08 04 09*	waste adhesives and sealants containing organic solvents or other hazardous substances	
HP8	Corrosive	
HP13	Sensitising	

Uncleaned packaging:

· Recommendation: Disposal must be made according to official regulations.

SECTION 14: Transport information · 14.1 UN number or ID number · ADR, IMDG, IATA UN2735 · 14.2 UN proper shipping name · ADR 2735 AMINES, LIQUID, CORROSIVE, N.O.S. (3,3'-Oxybis(ethylenoxy)bis(propylamin), 2,4,6tris(dimethylaminomethyl)phenol) · IMDG, IATA AMINES, LIQUID, CORROSIVE, N.O.S. (3,3'-Oxybis(ethylenoxy)bis(propylamin), 2,4,6tris(dimethylaminomethyl)phenol) 14.3 Transport hazard class(es) · ADR, IMDG, IATA · Class 8 Corrosive substances. Label 8 · 14.4 Packing group · ADR, IMDG, IATA Ш • 14.5 Environmental hazards: Not applicable. · 14.6 Special precautions for user Warning: Corrosive substances. · Hazard identification number (Kemler code): 80 · EMS Number: F-A.S-B Segregation groups (SGG18) Alkalis Stowage Category А

(Contd. on page 8)

IE

Printing date 07.12.2023

Version number 2 (replaces version 1)

Revision: 07.12.2023

Trade name: Epicol 12 Part B

	(Contd. of page 7)
· Segregation Code	SG35 Stow "separated from" SGG1-acids
 14.7 Maritime transport in bulk according to IMO instruments 	Not applicable.
· Transport/Additional information:	
 ADR Limited quantities (LQ) Excepted quantities (EQ) 	1L Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml
 Transport category Tunnel restriction code 	2 E
 IMDG Limited quantities (LQ) Excepted quantities (EQ) 	1L Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml
· UN "Model Regulation":	UN 2735 AMINES, LIQUID, CORROSIVE, N.O.S. (3,3'-OXYBIS(ETHYLENOXY)BIS(PROPYLAMIN), 2,4,6-TRIS(DIMETHYLAMINOMETHYL) PHENOL), 8, II

SECTION 15: Regulatory information

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3
- DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II

None of the ingredients is listed.

· REGULATION (EU) 2019/1148

• Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

Regulation (EC) No 273/2004 on drug precursors

None of the ingredients is listed.

Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

None of the ingredients is listed.

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship. This Safety Data Sheets is in compliance with Regulation (EC) No 1907/2006, Article 31 as amended by Regulation (EU) 2020/878.

(Contd. on page 9)

⁻ IE

Page 9/9

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 07.12.2023

Version number 2 (replaces version 1)

Revision: 07.12.2023

Trade name: Epicol 12 Part B

Deleventukusees	
· Relevant phrases	
H302 Harmful if swallowed.	
H314 Causes severe skin bur	ns and eye damage.
H315 Causes skin irritation.	
H317 May cause an allergic sl	
H318 Causes serious eye dan	
H319 Causes serious eye irrita	
U	Regulation (EC) No 1272/2008
Skin corrosion/irritation	The classification of the mixture is generally based on the
	calculation method using substance data according to Regulation
Skin sensitisation	(EC) No 1272/2008.
IMDG: International Maritime Code fo	
IMDG: International Maritime Code for IATA: International Air Transport Asso GHS: Globally Harmonised System o EINECS: European Inventory of Exist	or Dangerous Goods ociation f Classification and Labelling of Chemicals ting Commercial Chemical Substances
IMDG: International Maritime Code for IATA: International Air Transport Asso GHS: Globally Harmonised System on EINECS: European Inventory of Exist ELINCS: European List of Notified Ch	or Dangerous Goods ociation f Classification and Labelling of Chemicals ting Commercial Chemical Substances nemical Substances
IMDG: International Maritime Code for IATA: International Air Transport Asso GHS: Globally Harmonised System on EINECS: European Inventory of Exist ELINCS: European List of Notified Ch	or Dangerous Goods ociation if Classification and Labelling of Chemicals ting Commercial Chemical Substances nemical Substances vision of the American Chemical Society)
IMDG: International Maritime Code for IATA: International Air Transport Asso GHS: Globally Harmonised System on EINECS: European Inventory of Exist ELINCS: European List of Notified Ch CAS: Chemical Abstracts Service (div VOC: Volatile Organic Compounds (L LC50: Lethal concentration, 50 perce	or Dangerous Goods ociation If Classification and Labelling of Chemicals ting Commercial Chemical Substances nemical Substances vision of the American Chemical Society) JSA, EU)
IMDG: International Maritime Code for IATA: International Air Transport Asso GHS: Globally Harmonised System of EINECS: European Inventory of Exist ELINCS: European List of Notified Ch CAS: Chemical Abstracts Service (div VOC: Volatile Organic Compounds (L LC50: Lethal concentration, 50 perce LD50: Lethal dose, 50 percent	or Dangerous Goods ociation of Classification and Labelling of Chemicals ting Commercial Chemical Substances nemical Substances vision of the American Chemical Society) JSA, EU) nt
IMDG: International Maritime Code for IATA: International Air Transport Asso GHS: Globally Harmonised System of EINECS: European Inventory of Exist ELINCS: European List of Notified Ch CAS: Chemical Abstracts Service (div VOC: Volatile Organic Compounds (L LC50: Lethal concentration, 50 perce LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and vPvB: very Persistent and very Bioac	or Dangerous Goods ociation of Classification and Labelling of Chemicals ting Commercial Chemical Substances nemical Substances vision of the American Chemical Society) JSA, EU) nt d Toxic
IMDG: International Maritime Code for IATA: International Air Transport Asso GHS: Globally Harmonised System of EINECS: European Inventory of Exist ELINCS: European List of Notified Ch CAS: Chemical Abstracts Service (div VOC: Volatile Organic Compounds (L LC50: Lethal concentration, 50 perce LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and vPvB: very Persistent and very Bioac ATE: Acute toxicity estimate values	or Dangerous Goods ociation of Classification and Labelling of Chemicals ting Commercial Chemical Substances nemical Substances vision of the American Chemical Society) JSA, EU) nt d Toxic cumulative
IMDG: International Maritime Code for IATA: International Air Transport Asso GHS: Globally Harmonised System of EINECS: European Inventory of Exist ELINCS: European List of Notified Ch CAS: Chemical Abstracts Service (div VOC: Volatile Organic Compounds (L LC50: Lethal concentration, 50 percent PBT: Persistent, Bioaccumulative and vPvB: very Persistent and very Bioac ATE: Acute toxicity estimate values Acute Tox. 4: Acute toxicity – Catego	or Dangerous Goods ociation of Classification and Labelling of Chemicals ting Commercial Chemical Substances nemical Substances vision of the American Chemical Society) JSA, EU) nt d Toxic cumulative ry 4
IMDG: International Maritime Code for IATA: International Air Transport Assis GHS: Globally Harmonised System of EINECS: European Inventory of Exist ELINCS: European List of Notified Ch CAS: Chemical Abstracts Service (dir VOC: Volatile Organic Compounds (L LC50: Lethal concentration, 50 perce LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and vPvB: very Persistent and very Bioac ATE: Acute toxicity estimate values Acute Tox. 4: Acute toxicity – Catego Skin Corr. 1B: Skin corrosion/irritation – Skin Irrit. 2: Skin corrosion/irritation –	or Dangerous Goods ociation of Classification and Labelling of Chemicals ting Commercial Chemical Substances nemical Substances vision of the American Chemical Society) JSA, EU) JSA, EU) nt d Toxic cumulative ry 4 n – Category 1B Category 2
IMDG: International Maritime Code for IATA: International Air Transport Assis GHS: Globally Harmonised System of EINECS: European Inventory of Exist ELINCS: European List of Notified Ch CAS: Chemical Abstracts Service (dir VOC: Volatile Organic Compounds (L LC50: Lethal concentration, 50 perce LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and vPvB: very Persistent and very Bioac ATE: Acute toxicity estimate values Acute Tox. 4: Acute toxicity – Catego Skin Corr. 1B: Skin corrosion/irritation – Eye Dam. 1: Serious eye damage/eye	or Dangerous Goods ociation of Classification and Labelling of Chemicals ting Commercial Chemical Substances nemical Substances vision of the American Chemical Society) JSA, EU) JSA, EU) nt d Toxic cumulative ry 4 n – Category 1B Category 2 e irritation – Category 1
IMDG: International Maritime Code for IATA: International Air Transport Assis GHS: Globally Harmonised System of EINECS: European Inventory of Exist ELINCS: European List of Notified Ch CAS: Chemical Abstracts Service (div VOC: Volatile Organic Compounds (L LC50: Lethal concentration, 50 percent PBT: Persistent, Bioaccumulative and vPvB: very Persistent and very Bioac ATE: Acute toxicity estimate values Acute Tox. 4: Acute toxicity – Catego Skin Corr. 1B: Skin corrosion/irritation Skin Irrit. 2: Skin corrosion/irritation – Eye Dam. 1: Serious eye damage/eye	or Dangerous Goods ociation of Classification and Labelling of Chemicals ting Commercial Chemical Substances nemical Substances vision of the American Chemical Society) JSA, EU) nt d Toxic cumulative ry 4 n – Category 1B Category 2 e irritation – Category 1 irritation – Category 2
IMDG: International Maritime Code for IATA: International Air Transport Assis GHS: Globally Harmonised System of EINECS: European Inventory of Exist ELINCS: European List of Notified Ch CAS: Chemical Abstracts Service (dir VOC: Volatile Organic Compounds (L LC50: Lethal concentration, 50 perce LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and vPvB: very Persistent and very Bioac ATE: Acute toxicity estimate values Acute Tox. 4: Acute toxicity – Catego Skin Corr. 1B: Skin corrosion/irritation – Eye Dam. 1: Serious eye damage/eye	or Dangerous Goods ociation of Classification and Labelling of Chemicals ting Commercial Chemical Substances nemical Substances vision of the American Chemical Society) JSA, EU) nt d Toxic cumulative ry 4 n – Category 1B Category 2 e irritation – Category 1 irritation – Category 2 tegory 1