*

Safety data sheet according to 1907/2006/EC, Article 31



Printing date 03.10.2023

Version number 2 (replaces version 1)

Revision: 03.10.2023

SECTION 1: Id undertaking	lentification of the substance/mixture and of the company/	
· 1.1 Product ident	tifier	
[.] Trade name: <u>Epic</u>	<u>col 305795 Part A</u>	
 Sector of Use SU Product category 	305795A ntified uses of the substance or mixture and uses advised against J3 Industrial uses: Uses of substances as such or in preparations at industrial sites y PC1 Adhesives, sealants e substance / the mixture Adhesives	
• 1.3 Details of the • Manufacturer/Sup APM Technica AG Max-Schmidheiny- CH-9435 HEERBR SCHWEIZ	-Str.201	
Tel. +41 71 788 31 E-Mail: msds@apr • 1.4 Emergency te Tox Info Suisse Freiestrasse 16 CH-8032 Zürich		
SECTION 2: H	azards identification	
· Classification acc	n of the substance or mixture cording to Regulation (EC) No 1272/2008 environment	-
Aquatic Chronic 2 GHS07	H411 Toxic to aquatic life with long lasting effects.	
Skin Irrit. 2 Eye Irrit. 2 Skin Sens. 1	H315 Causes skin irritation. H319 Causes serious eye irritation. H317 May cause an allergic skin reaction.	
	ts ing to Regulation (EC) No 1272/2008 ssified and labelled according to the CLP regulation. (Contd. on page 2	2)

Printing date 03.10.2023

Version number 2 (replaces version 1)

Revision: 03.10.2023

Trade name: Epicol 305795 Part A

P501Dispose of contents/container in accordance with local/regional/national/internation regulations.Additional information: Contains epoxy constituents. May produce an allergic reaction. Labelling of packages where the contents do not exceed 125 ml Hazard pictograms \overbrace{Q} \overbrace{Q} \overbrace{Q} \overbrace{Q} \overbrace{G} $$	Hazard hictor	rams (Contd. of pag
Signal word Warning Hazard-determining components of labelling: bis[4-(2,3-epoxypropoxy)pheny]propane Hazard statements H315 Causes skin irritation. H319 Causes serious eye irritation. H319 Causes serious eye irritation. H319 Causes serious eye irritation. H319 Causes serious eye irritation. H319 Causes an allergic skin reaction. H317 Toxic to aquatic life with long lasting effects. Precautionary statements P261 Avoid breathing dust/fume/gas/mist/vapours/spray. P273 Avoid release to the environment. P280 Wear protective gloves / eye protection / face protection. P305+P351+P331 FI IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P333+P313 If skin irritation or rash occurs: Get medical advice/attention. P501 Dispose of contents/container in accordance with local/regional/national/internation regulations. Additional information: Contains epoxy constituents. May produce an allergic reaction. Labelling of packages where the contents do not exceed 125 ml Hazard pictograms Signal word Warning Hazard-determining components of labelling: bis[4-(2,3-epoxypropoxy)pheny]]propane Hazard statements H317 May cause an allergic skin reaction. Precautionary statements P261 Avoid breathing dust/fume/gas/mist/vapours/spray. P280 Wear protective gloves / eye protection / face protection. P333+P313 If skin irritation or rash occurs: Get medical advice/attention. P333+P313 If skin irritation or rash occurs: Get medical advice/attention. P333+P313 If skin irritation or rash occurs: Get medical advice/attention. P333+P313 If skin irritation or rash occurs: Get medical advice/attention. P333+P313 If skin irritation or rash occurs: Get medical advice/attention. P333+P313 If skin irritation or rash occurs: Get medical advice/attention. P333+P313 If skin irritation or rash occurs: Get medical advice/attention. P333+P313 If skin irritation or rash occurs: Get medical advice/attention. P334-P313 If skin irritation or rash occ		Taills
Signal word Warning Hazard-determining components of labelling: bis[4-(2,3-epoxypropoxy)pheny]propane Hazard statements H315 Causes skin irritation. H319 Causes an allergic skin reaction. H411 Toxic to aquatic life with long lasting effects. Precautionary statements P261 Avoid breathing dust/fume/gas/mist/vapours/spray. P273 Avoid release to the environment. P280 Wear protective gloves / eye protection / face protection. P305+P351+P331 If Is YES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P333+P313 If skin irritation or rash occurs: Get medical advice/attention. P501 Dispose of contents/container in accordance with local/regional/national/internation regulations. Additional information: Contains epoxy constituents. May produce an allergic reaction. Labelling of packages where the contents do not exceed 125 ml Hazard statements Hazard statements Signal word Warning Hazard statements H317 May cause an allergic skin reaction. Precautionary statements P317 May cause an allergic skin reaction. Precutonary statements		
Signal word Warning Hazard-determining components of labelling: bis[4-(2,3-epoxypropoxy)pheny]propane Hazard statements H315 Causes skin irritation. H319 Causes an allergic skin reaction. H411 Toxic to aquatic life with long lasting effects. Precautionary statements P261 Avoid breathing dust/fume/gas/mist/vapours/spray. P273 Avoid release to the environment. P280 Wear protective gloves / eye protection / face protection. P305+P351+P331 If Is YES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P333+P313 If skin irritation or rash occurs: Get medical advice/attention. P501 Dispose of contents/container in accordance with local/regional/national/internation regulations. Additional information: Contains epoxy constituents. May produce an allergic reaction. Labelling of packages where the contents do not exceed 125 ml Hazard statements Hazard statements Signal word Warning Hazard statements H317 May cause an allergic skin reaction. Precautionary statements P317 May cause an allergic skin reaction. Precutonary statements	く!/く코	
Signal word Warning Hazard-determining components of labelling: bis[4-(2,3-epoxypropoxy)pheny]propane Hazard statements H315 Causes skin irritation. H319 Causes an allergic skin reaction. H411 Toxic to aquatic life with long lasting effects. Precautionary statements P261 Avoid breathing dust/fume/gas/mist/vapours/spray. P273 Avoid release to the environment. P280 Wear protective gloves / eye protection / face protection. P305+P351+P331 If Is YES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P333+P313 If skin irritation or rash occurs: Get medical advice/attention. P501 Dispose of contents/container in accordance with local/regional/national/internation regulations. Additional information: Contains epoxy constituents. May produce an allergic reaction. Labelling of packages where the contents do not exceed 125 ml Hazard statements Hazard statements Signal word Warning Hazard statements H317 May cause an allergic skin reaction. Precautionary statements P317 May cause an allergic skin reaction. Precutonary statements		
Hazard-determining components of labelling: bis[4-(2,3-epoxypropoxy)pheny]propane Hazard statements Hazard statements H315 Causes skin irritation. H317 Causes an allergic skin reaction. H411 Toxic to aquatic life with long lasting effects. Precautionary statements P261 Avoid breathing dust/fume/gas/mist/vapours/spray. P273 Avoid release to the environment. P280 Wear protective gloves / eye protection / face protection. P305+P331 F IN EVES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P33+P313 If skin irritation or rash occurs: Get medical advice/attention. P501 Dispose of contents/container in accordance with local/regional/national/internation regulations. Additional information: Contains epoxy constituents. May produce an allergic reaction. Labelling of packages where the contents do not exceed 125 ml Hazard pictograms ✓ ✓ ØHSO7 GHS09 Signal word Warning Hazard statements H317 May cause an allergic skin reaction. Precautionary statements P326 Avoid breathing dust/fume/gas/mist/vapours/spray. P281 Avoid breathing dust/fume/gas/mist/vapours/spray.	GHS07 GHS	.09
 bis[4-(2,3-epoxypropoxy)pheny]propane Hazard statements H315 Causes skin irritation. H316 Causes skin irritation. H317 May cause an allergic skin reaction. H411 Toxic to aquatic life with long lasting effects. Precautionary statements P261 Avoid breathing dust/fume/gas/mist/vapours/spray. P273 Avoid release to the environment. P280 Wear protective gloves / eye protection / face protection. P305+P351+P338 FI IN EVES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P33+P313 If skin irritation or rash occurs: Get medical advice/attention. P501 Dispose of contents/container in accordance with local/regional/national/internation regulations. Additional information: Contains epoxy constituents. May produce an allergic reaction. Labelling of packages where the contents do not exceed 125 ml Hazard pictograms ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓	Signal word W	/arning
Hazard statements H315 Causes skin irritation. H319 Causes serious eye irritation. H317 May cause an allergic skin reaction. H317 May cause an allergic skin reaction. H317 May cause an allergic skin reaction. H411 Toxic to aquatic life with long lasting effects. Precautionary statements P280 Wear protective gloves / eye protection / face protection. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P333+P313 If skin irritation or rash occurs: Get medical advice/attention. P501 Dispose of contents/container in accordance with local/regional/national/internation: Contains epoxy constituents. May produce an allergic reaction. Labelling of packages where the contents do not exceed 125 ml Hazard pictograms GHS07 GHS09 Signal word Warning Hazard-determining components of labelling: hist/(+2,3-epoxypropoxy)/phenyl[propane Hazard statements Hazard y cause an allergic skin reaction. Precautionary statements H317 May cause an allergic skin reaction. Precautionary statements H327 Avoid breathing dust/fume/gas/mist/vapours/spray. P281 Avoid breathing dust/fume/gas/mist/vapours/spray.		
 H315 Causes skin irritation. H317 May cause an allergic skin reaction. H411 Toxic to aquatic life with long lasting effects. Precautionary statements P261 Avoid breathing dust/fume/gas/mist/vapours/spray. P273 Avoid release to the environment. P280 Wear protective gloves / eye protection / face protection. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P333+P313 If skin irritation or rash occurs: Get medical advice/attention. P501 Dispose of contents/container in accordance with local/regional/national/internation regulations. Additional information: Contains epoxy constituents. May produce an allergic reaction. Labelling of packages where the contents do not exceed 125 ml Hazard pictograms Signal word Warning Hazard-determining components of labelling: bis[4-(2.3-epoxypropoxy)phenyl]propane Hazard statements H317 May cause an allergic skin reaction. P261 Avoid breathing dust/fume/gas/mist/vapours/spray. P260 Wear protective gloves / eye protection / face protection. P317 May cause an allergic skin reaction. P317 May cause an on the scours: Get medical advice/attention. P317 May cause an or ash occurs: Get medical advice/attention. P317 May cause an or ash occurs: Get medical advice/attention. P331+P313 If skin irritation or rash occurs: Get medical advice/attention. P331+P313 If skin irritation or rash occurs: Get medical advice/attention. P331+P313 If skin irritation or		
 H319 Causes serious eye irritation. H317 May cause an allergic skin reaction. H411 Toxic to aquatic life with long lasting effects. Precautionary statements P261 Avoid breathing dust/fume/gas/mist/vapours/spray. P273 Avoid release to the environment. P305 Wear protective gloves / eye protection / face protection. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P333+P313 If skin irritation or rash occurs: Get medical advice/attention. P501 Dispose of contents/container in accordance with local/regional/national/internation regulations. Additional information: Contains epoxy constituents. May produce an allergic reaction. Labelling of packages where the contents do not exceed 125 ml Hazard pictograms Signal word Warning Hazard determining components of labelling: bis{4-(2,3-epoxypropoxy)phenyl]propane Hazard statements H317 May cause an allergic skin reaction. P261 Avoid breathing dust/fume/gas/mist/vapours/spray. P261 Avoid breathing dust/fume/gas/mist/vapours/spray. P260 Wear protective gloves / eye protection / face protection. P317 May cause an allergic skin reaction. P261 Avoid breathing dust/fume/gas/mist/vapours/spray. P260 Wear protective gloves / eye protection / face protection. P3317 May cause an allergic skin reaction. P261 Avoid breathing dust/fume/gas/mist/vapours/spray. P260 Wear protective gloves / eye protection / face protection. P3317 May cause an or ash occurs: Get medical advice/attention. P3317 May cause an or ash occurs: Get medical advice/attention. P3317 J1 f skin irritation or rash occurs: Get medical advice/attention. P3317 J1 f skin irritation or rash occurs: Get medical advice/attention. P3317 J1 f skin irritation or rash occ		
 H317 May cause an allergic skin reaction. H411 Toxic to aquatic life with long lasting effects. Precautionary statements P261 Avoid breathing dust/fume/gas/mist/vapours/spray. P273 Avoid release to the environment. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P333+P313 If skin irritation or rash occurs: Get medical advice/attention. P501 Dispose of contents/container in accordance with local/regional/national/internation regulations. Additional information: Contains epoxy constituents. May produce an allergic reaction. Labelling of packages where the contents do not exceed 125 ml Hazard pictograms <i>Q Q Q Q G</i> <		
 H411 Toxic to aquatic life with long lasting effects. Precautionary statements P261 Avoid breathing dust/fume/gas/mist/vapours/spray. P273 Avoid release to the environment. P280 Wear protective gloves / eye protection / face protection. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P333+P313 If skin irritation or rash occurs: Get medical advice/attention. P501 Dispose of contents/container in accordance with local/regional/national/internation regulations. Additional information: Contains epoxy constituents. May produce an allergic reaction. Labelling of packages where the contents do not exceed 125 ml Hazard pictograms ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓	H319 Causes s	erious eye irritation.
Precautionary statements P261 Avoid breathing dust/fume/gas/mist/vapours/spray. P273 Avoid release to the environment. P280 Wear protective gloves / eye protection / face protection. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P333+P313 If skin irritation or rash occurs: Get medical advice/attention. P501 Dispose of contents/container in accordance with local/regional/national/internation regulations. Additional information: Contains epoxy constituents. May produce an allergic reaction. Contains epoxy constituents. May produce an allergic reaction. Labelling of packages where the contents do not exceed 125 ml Hazard pictograms Image: Control of Contents/container in accordance with local/regional/nation		
 P261 Avoid breathing dust/fume/gas/mist/vapours/spray. P273 Avoid release to the environment. P280 Wear protective gloves / eye protection / face protection. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P333+P313 If skin irritation or rash occurs: Get medical advice/attention. P501 Dispose of contents/container in accordance with local/regional/national/internation regulations. Additional information: Contains epoxy constituents. May produce an allergic reaction. Labelling of packages where the contents do not exceed 125 ml Hazard pictograms Signal word Warning Hazard-determining components of labelling: bis[4-(2,3-epoxypropoxy)phenyl]propane Hazard statements H317 May cause an allergic skin reaction. P261 Avoid breathing dust/fume/gas/mist/vapours/spray. P260 Wear protective gloves / eye protection / face protection. P333+P313 If skin irritation or rash occurs: Get medical advice/attention. P501 Dispose of contents/container in accordance with local/regional/national/international regulations. 2.3 Other hazards Results of PBT and vPvB assessment PBT: Not applicable. 		
 P273 Avoid release to the environment. P280 Wear protective gloves / eye protection / face protection. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P333+P313 If skin irritation or rash occurs: Get medical advice/attention. P501 Dispose of contents/container in accordance with local/regional/national/internation regulations. Additional information: Contains epoxy constituents. May produce an allergic reaction. Labelling of packages where the contents do not exceed 125 ml Hazard pictograms GHS07 GHS09 Signal word Warning Hazard-determining components of labelling: bis[4-(2,3-epoxypropoxy)phenyl]propane Hazard statements H317 May cause an allergic skin reaction. Precautionary statements P280 Kear protective gloves / eye protection / face protection. P333+P313 If skin irritation or rash occurs: Get medical advice/attention. P507 Signal word breathing dust/fume/gas/mist/vapours/spray. P280 Wear protective gloves / eye protection / face protection. P333+P313 If skin irritation or rash occurs: Get medical advice/attention. P51 Avoid breathing dust/fume/gas/mist/vapours/spray. P280 Wear protective gloves / eye protection / face protection. P333+P313 If skin irritation or rash occurs: Get medical advice/attention. P51 Dispose of contents/container in accordance with local/regional/national/international regulations. 2.3 Other hazards Results of PBT and vPvB assessment PBT: Not applicable. 		
 P280 Wear protective gloves / eye protection / face protection. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P333+P313 If skin irritation or rash occurs: Get medical advice/attention. P501 Dispose of contents/container in accordance with local/regional/national/internation regulations. Additional information: Contains epoxy constituents. May produce an allergic reaction. Labelling of packages where the contents do not exceed 125 ml Hazard pictograms <i>Q Q G</i>		
 P305+P351+P338 IF IN ÉYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P333+P313 If skin irritation or rash occurs: Get medical advice/attention. P501 Dispose of contents/container in accordance with local/regional/national/internation regulations. Additional information: Contains epoxy constituents. May produce an allergic reaction. Labelling of packages where the contents do not exceed 125 ml Hazard pictograms GHS07 GHS09 Signal word Warning Hazard-determining components of labelling: bis[4-(2,3-epoxypropoxy)phenyl]propane Hazard statements H317 May cause an allergic skin reaction. Precautionary statements P261 Avoid breathing dust/fume/gas/mist/vapours/spray. P260 Wear protective gloves / eye protection / face protection. P333+P313 If skin irritation or rash occurs: Get medical advice/attention. P507 Dispose of contents/container in accordance with local/regional/national/international informations P260 Wear protective gloves / eye protection / face protection. P33+P313 If skin irritation or rash occurs: Get medical advice/attention. P501 Dispose of contents/container in accordance with local/regional/national/international regulations. 2.3 Other hazards Results of PBT and vPvB assessment PBT: Not applicable. 		
 lenses, if present and easy to do. Continue rinsing. P333+P313 If skin irritation or rash occurs: Get medical advice/attention. P501 Dispose of contents/container in accordance with local/regional/national/internation regulations. Additional information: Contains epoxy constituents. May produce an allergic reaction. Labelling of packages where the contents do not exceed 125 ml Hazard pictograms Image: Signal word Warning Hazard-determining components of labelling: bis[4-(2,3-epoxypropoxy)phenyl]propane Hazard statements H317 May cause an allergic skin reaction. Precautionary statements P261 Avoid breathing dust/fume/gas/mist/vapours/spray. P280 Wear protective gloves / eye protection / face protection. P333+P313 If skin irritation or rash occurs: Get medical advice/attention. P501 Pispose of contents/container in accordance with local/regional/national/international regulations. 2.3 Other Hazards Results of PBT and vPvB assessment PBT: Not applicable. 		
 P333+P313 If skin irritation or rash occurs: Get medical advice/attention. P501 Dispose of contents/container in accordance with local/regional/national/internation regulations. Additional information: Contains epoxy constituents. May produce an allergic reaction. Labelling of packages where the contents do not exceed 125 ml Hazard pictograms Image: GHS07 GHS09 Signal word Warning Hazard-determining components of labelling: bis[4-(2,3-epoxypropoxy)phenyl]propane Hazard statements H317 May cause an allergic skin reaction. P261 Avoid breathing dust/fume/gas/mist/vapours/spray. P280 Wear protective gloves / eye protection / face protection. P333+P313 If skin irritation or rash occurs: Get medical advice/attention. P501 Dispose of contents/container in accordance with local/regional/national/international regulations. 2.3 Other hazards Results of PBT and vPvB assessment PBT: Not applicable. 		
regulations. Additional information: Contains epoxy constituents. May produce an allergic reaction. Labelling of packages where the contents do not exceed 125 ml Hazard pictograms	P333+P313	
Additional information: Contains epoxy constituents. May produce an allergic reaction. Labelling of packages where the contents do not exceed 125 ml Hazard pictograms	P501	Dispose of contents/container in accordance with local/regional/national/internation
Contains epoxy constituents. May produce an allergic reaction. Labelling of packages where the contents do not exceed 125 ml Hazard pictograms		regulations.
Labelling of packages where the contents do not exceed 125 ml Hazard pictograms		
 Hazard pictograms Autor of the second se		
View View GHS07 GHS09 Signal word Warning Hazard-determining components of labelling: bis[4-(2,3-epoxypropoxy)phenyl]propane Hazard statements H317 May cause an allergic skin reaction. Precautionary statements P261 Avoid breathing dust/fume/gas/mist/vapours/spray. P280 Wear protective gloves / eye protection / face protection. P333+P313 If skin irritation or rash occurs: Get medical advice/attention. P501 Dispose of contents/container in accordance with local/regional/national/international regulations. 2.3 Other hazards Results of PBT and vPvB assessment PBT: Not applicable.	Labelling of na	aakagaa whara tha aantanta da nat ayaaad 175 ml
Signal word Warning Hazard-determining components of labelling: bis[4-(2,3-epoxypropoxy)phenyl]propane Hazard statements H317 May cause an allergic skin reaction. Precautionary statements P261 Avoid breathing dust/fume/gas/mist/vapours/spray. P280 Wear protective gloves / eye protection / face protection. P333+P313 If skin irritation or rash occurs: Get medical advice/attention. P501 Dispose of contents/container in accordance with local/regional/national/international regulations. 2.3 Other hazards Results of PBT and vPvB assessment PBT: Not applicable.		
Signal word Warning Hazard-determining components of labelling: bis[4-(2,3-epoxypropoxy)phenyl]propane Hazard statements H317 May cause an allergic skin reaction. Precautionary statements P261 Avoid breathing dust/fume/gas/mist/vapours/spray. P280 Wear protective gloves / eye protection / face protection. P333+P313 If skin irritation or rash occurs: Get medical advice/attention. P501 Dispose of contents/container in accordance with local/regional/national/international regulations. 2.3 Other hazards Results of PBT and vPvB assessment PBT: Not applicable.		
Signal word Warning Hazard-determining components of labelling: bis[4-(2,3-epoxypropoxy)phenyl]propane Hazard statements H317 May cause an allergic skin reaction. Precautionary statements P261 Avoid breathing dust/fume/gas/mist/vapours/spray. P280 Wear protective gloves / eye protection / face protection. P333+P313 If skin irritation or rash occurs: Get medical advice/attention. P501 Dispose of contents/container in accordance with local/regional/national/international regulations. 2.3 Other hazards Results of PBT and vPvB assessment PBT: Not applicable.		
Signal word Warning Hazard-determining components of labelling: bis[4-(2,3-epoxypropoxy)phenyl]propane Hazard statements H317 May cause an allergic skin reaction. Precautionary statements P261 Avoid breathing dust/fume/gas/mist/vapours/spray. P280 Wear protective gloves / eye protection / face protection. P333+P313 If skin irritation or rash occurs: Get medical advice/attention. P501 Dispose of contents/container in accordance with local/regional/national/international regulations. 2.3 Other hazards Results of PBT and vPvB assessment PBT: Not applicable.		
Signal word Warning Hazard-determining components of labelling: bis[4-(2,3-epoxypropoxy)phenyl]propane Hazard statements H317 May cause an allergic skin reaction. Precautionary statements P261 Avoid breathing dust/fume/gas/mist/vapours/spray. P280 Wear protective gloves / eye protection / face protection. P333+P313 If skin irritation or rash occurs: Get medical advice/attention. P501 Dispose of contents/container in accordance with local/regional/national/international regulations. 2.3 Other hazards Results of PBT and vPvB assessment PBT: Not applicable.		
Hazard-determining components of labelling: bis[4-(2,3-epoxypropoxy)phenyl]propane Hazard statements H317 May cause an allergic skin reaction. Precautionary statements P261 Avoid breathing dust/fume/gas/mist/vapours/spray. P280 Wear protective gloves / eye protection / face protection. P333+P313 If skin irritation or rash occurs: Get medical advice/attention. P501 Dispose of contents/container in accordance with local/regional/national/international regulations. 2.3 Other hazards Results of PBT and vPvB assessment PBT: Not applicable.	Hazard pictog	rams
bis[4-(2,3-epoxypropoxy)phenyl]propane Hazard statements H317 May cause an allergic skin reaction. Precautionary statements P261 Avoid breathing dust/fume/gas/mist/vapours/spray. P280 Wear protective gloves / eye protection / face protection. P333+P313 If skin irritation or rash occurs: Get medical advice/attention. P501 Dispose of contents/container in accordance with local/regional/national/international regulations. 2.3 Other hazards Results of PBT and vPvB assessment PBT: Not applicable.	Hazard pictog GHS07 GHS	rams 22 309
Hazard statements H317 May cause an allergic skin reaction. Precautionary statements P261 Avoid breathing dust/fume/gas/mist/vapours/spray. P280 Wear protective gloves / eye protection / face protection. P333+P313 If skin irritation or rash occurs: Get medical advice/attention. P501 Dispose of contents/container in accordance with local/regional/national/international regulations. 2.3 Other hazards Results of PBT and vPvB assessment PBT: Not applicable.	Hazard pictog GHS07 GHS Signal word W	rams 09 /arning
 H317 May cause an allergic skin reaction. Precautionary statements P261 Avoid breathing dust/fume/gas/mist/vapours/spray. P280 Wear protective gloves / eye protection / face protection. P333+P313 If skin irritation or rash occurs: Get medical advice/attention. P501 Dispose of contents/container in accordance with local/regional/national/international regulations. 2.3 Other hazards Results of PBT and vPvB assessment PBT: Not applicable. 	Hazard pictog GHS07 GHS Signal word W Hazard-detern	rams 2 309 /arning nining components of labelling:
Precautionary statements P261 Avoid breathing dust/fume/gas/mist/vapours/spray. P280 Wear protective gloves / eye protection / face protection. P333+P313 If skin irritation or rash occurs: Get medical advice/attention. P501 Dispose of contents/container in accordance with local/regional/national/international regulations. 2.3 Other hazards Results of PBT and vPvB assessment PBT: Not applicable.	Hazard pictog GHS07 GHS Signal word W Hazard-detern bis[4-(2,3-epox	rams 209 /arning nining components of labelling: ypropoxy)phenyl]propane
 P261 Avoid breathing dust/fume/gas/mist/vapours/spray. P280 Wear protective gloves / eye protection / face protection. P333+P313 If skin irritation or rash occurs: Get medical advice/attention. P501 Dispose of contents/container in accordance with local/regional/national/international regulations. 2.3 Other hazards Results of PBT and vPvB assessment PBT: Not applicable. 	Hazard pictog GHS07 GHS Signal word W Hazard-detern bis[4-(2,3-epox Hazard statem	rams 209 /arning nining components of labelling: ypropoxy)phenyl]propane ments
 P280 Wear protective gloves / eye protection / face protection. P333+P313 If skin irritation or rash occurs: Get medical advice/attention. P501 Dispose of contents/container in accordance with local/regional/national/international regulations. 2.3 Other hazards Results of PBT and vPvB assessment PBT: Not applicable. 	Hazard pictog GHS07 GHS Signal word W Hazard-detern bis[4-(2,3-epox Hazard statem H317 May caus	rams 2009 /arning nining components of labelling: ypropoxy)phenyl]propane ments se an allergic skin reaction.
 P333+P313 If skin irritation or rash occurs: Get medical advice/attention. P501 Dispose of contents/container in accordance with local/regional/national/international regulations. 2.3 Other hazards Results of PBT and vPvB assessment PBT: Not applicable. 	Hazard pictog GHS07 GHS Signal word W Hazard-detern bis[4-(2,3-epox Hazard statem H317 May caus Precautionary	rams 209 /arning hining components of labelling: ypropoxy)phenyl]propane hents se an allergic skin reaction. statements
 P501 Dispose of contents/container in accordance with local/regional/national/international regulations. 2.3 Other hazards Results of PBT and vPvB assessment PBT: Not applicable. 	Hazard pictog GHS07 GHS Signal word W Hazard-detern bis[4-(2,3-epox Hazard statem H317 May caus Precautionary P261 Av	rams 209 /arning hining components of labelling: ypropoxy)phenyl]propane hents se an allergic skin reaction. statements oid breathing dust/fume/gas/mist/vapours/spray.
regulations. 2.3 Other hazards Results of PBT and vPvB assessment PBT: Not applicable.	Hazard pictog GHS07 GHS Signal word W Hazard-detern bis[4-(2,3-epox Hazard statem H317 May caus Precautionary P261 Av P280 We	rams 209 /arning hining components of labelling: ypropoxy)phenyl]propane hents se an allergic skin reaction. statements oid breathing dust/fume/gas/mist/vapours/spray. ear protective gloves / eye protection / face protection.
2.3 Other hazards Results of PBT and vPvB assessment PBT: Not applicable.	Hazard pictog GHS07 GHS Signal word W Hazard-detern bis[4-(2,3-epox Hazard statem H317 May caus Precautionary P261 Av P280 We P333+P313 If s	rams 2225 309 /arning hining components of labelling: ypropoxy)phenyl]propane hents se an allergic skin reaction. statements oid breathing dust/fume/gas/mist/vapours/spray. ear protective gloves / eye protection / face protection. skin irritation or rash occurs: Get medical advice/attention.
PBT: Not applicable.	Hazard pictog GHS07 GHS Signal word W Hazard-detern bis[4-(2,3-epox Hazard statem H317 May caus Precautionary P261 Av P280 Wo P333+P313 If s P501 Dis rec	rams 22 309 /arning hining components of labelling: ypropoxy)phenyl]propane tents se an allergic skin reaction. statements oid breathing dust/fume/gas/mist/vapours/spray. ear protective gloves / eye protection / face protection. skin irritation or rash occurs: Get medical advice/attention. spose of contents/container in accordance with local/regional/national/international gulations.
	Hazard pictog GHS07 GHS Signal word W Hazard-detern bis[4-(2,3-epox Hazard statem H317 May caus Precautionary P261 Av P280 Wo P333+P313 If s P501 Dis rec 2.3 Other haza	rams yaraning hining components of labelling: ypropoxy)phenyl]propane tents se an allergic skin reaction. statements oid breathing dust/fume/gas/mist/vapours/spray. ear protective gloves / eye protection / face protection. skin irritation or rash occurs: Get medical advice/attention. spose of contents/container in accordance with local/regional/national/international gulations. ards
vPvB: Not applicable.	Hazard pictog GHS07 GHS Signal word W Hazard-detern bis[4-(2,3-epox Hazard statem H317 May caus Precautionary P261 Av P280 Wo P333+P313 If s P501 Dis rec 2.3 Other haza	rams yaraning hining components of labelling: ypropoxy)phenyl]propane tents se an allergic skin reaction. statements oid breathing dust/fume/gas/mist/vapours/spray. ear protective gloves / eye protection / face protection. skin irritation or rash occurs: Get medical advice/attention. spose of contents/container in accordance with local/regional/national/international gulations. ards
	Hazard pictog GHS07 GHS Signal word W Hazard-detern bis[4-(2,3-epox Hazard statem H317 May caus Precautionary P261 Av P333+P313 If s P501 Dis rec 2.3 Other haza Results of PB PBT: Not applie	rams yarning hining components of labelling: ypropoxy)phenyl]propane hents se an allergic skin reaction. statements oid breathing dust/fume/gas/mist/vapours/spray. ear protective gloves / eye protection / face protection. skin irritation or rash occurs: Get medical advice/attention. spose of contents/container in accordance with local/regional/national/international gulations. ards T and vPvB assessment cable.

Printing date 03.10.2023

Version number 2 (replaces version 1)

Revision: 03.10.2023

Trade name: Epicol 305795 Part A

(Contd. of page 2)

3.2 Mixtures Description: Mixture	e of substances listed below with nonhazardous additions.	
Dangerous compor	nents:	
CAS: 1675-54-3	bis[4-(2,3-epoxypropoxy)phenyl]propane	>50–≤100%
EINECS: 216-823-5	Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317, EUH205	
	Specific concentration limits: Eye Irrit. 2; H319: C ≥ 5 % Skin Irrit. 2; H315: C ≥ 5 %	
CAS: 38640-62-9	Bis(isopropyl)naphthalene	>2.5-<25%
EINECS: 254-052-6	🚯 Asp. Tox. 1, H304; 🚯 Aquatic Chronic 1, H410	

SECTION 4: First aid measures

· 4.1 Description of first aid measures

- General information: Immediately remove any clothing soiled by the product.
- · After inhalation:
- Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

- After swallowing: If symptoms persist consult doctor.
- **4.2 Most important symptoms and effects, both acute and delayed** No further relevant information available.

• **4.3 Indication of any immediate medical attention and special treatment needed** No further relevant information available.

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.
- 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- 5.3 Advice for firefighters
- Protective equipment: Wear self-contained respiratory protective device.

SECTION 6: Accidental release measures

- **6.1 Personal precautions, protective equipment and emergency procedures** Wear protective clothing.
- 6.2 Environmental precautions: Do not allow product to reach sewage system or any water course.

Inform respective authorities in case of seepage into water course or sewage system. Do not allow to enter sewers/ surface or ground water.

• 6.3 Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to section 13. Ensure adequate ventilation.

(Contd. on page 4)

_ _ IE

Printing date 03.10.2023

Version number 2 (replaces version 1)

Revision: 03.10.2023

(Contd. of page 3)

Trade name: Epicol 305795 Part A

· 6.4 Reference to other sections

See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

SECTION 7: Handling and storage

• **7.1 Precautions for safe handling** Ensure good ventilation/exhaustion at the workplace. Prevent formation of aerosols.

· Information about fire - and explosion protection: No special measures required.

- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: No special requirements.
- Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep container tightly sealed.
- •7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

- · 8.1 Control parameters
- Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

• Additional information: The lists valid during the making were used as basis.

- · 8.2 Exposure controls
- Appropriate engineering controls No further data; see section 7.
- · Individual protection measures, such as personal protective equipment
- General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

Respiratory protection:

Not necessary if room is well-ventilated.

- In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.
- Hand protection



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

(Contd. on page 5)

Printing date 03.10.2023

Version number 2 (replaces version 1)

Revision: 03.10.2023

(Contd. of page 4)

Trade name: Epicol 305795 Part A

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye/face protection



Tightly sealed goggles

· Body protection: Protective work clothing

SECTION 9: Physical and chemical properties

• 9.1 Information on basic physical and chemica	l properties
General Information	
· Physical state	Fluid
· Colour:	Yellow
· Odour:	Characteristic
· Odour threshold:	Not determined.
 Melting point/freezing point: 	Undetermined.
Boiling point or initial boiling point and boiling	
range	, >200 °C
·Flammability	Not applicable.
· Lower and upper explosion limit	
· Lower:	Not determined.
· Upper:	Not determined.
· Flash point:	>140 °C
· Decomposition temperature:	Not determined.
· pH	Not determined.
· Viscosity:	
	Not determined
· Kinematic viscosity	Not determined.
· Dynamic at 20 °C:	1,800–2,200 mPas
Solubility	N is the state of the second State of the second seco
water:	Not miscible or difficult to mix.
Partition coefficient n-octanol/water (log value	
Vapour pressure at 20 °C:	>0 hPa
Density and/or relative density	
Density at 20 °C:	1.12 g/cm ³
Relative density	Not determined.
· Vapour density	Not determined.
· 9.2 Other information	
· Appearance:	
· Form:	Fluid
· Important information on protection of health	
and environment, and on safety.	
· Ignition temperature:	Product is not selfigniting.
· Explosive properties:	Product loss not present an explosion hazard.
· Solvent content:	r rouder does not present an explosion nazalu.
· VOC (EC)	0.00 %
· Solids content:	0.0 %
Sonus Content.	
	(Contd. on page 6)

IE

Printing date 03.10.2023

Version number 2 (replaces version 1)

Revision: 03.10.2023

Trade name: Epicol 305795 Part A

		(Contd. of page
Change in condition		
Evaporation rate	Not determined.	
Information with regard to physical hazard		
classes		
· Explosives	Void	
Flammable gases	Void	
Aerosols	Void	
· Oxidising gases	Void	
Gases under pressure	Void	
Flammable liquids	Void	
Flammable solids	Void	
Self-reactive substances and mixtures	Void	
Pyrophoric liquids	Void	
Pyrophoric solids	Void	
Self-heating substances and mixtures	Void	
Substances and mixtures, which emit		
flammable gases in contact with water	Void	
· Oxidising liquids	Void	
Oxidising solids	Void	
Organic peroxides	Void	
· Corrosive to metals	Void	
Desensitised explosives	Void	

SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided:
- No decomposition if used according to specifications.
- 10.3 Possibility of hazardous reactions No dangerous reactions known.
- 10.4 Conditions to avoid No further relevant information available.
- · 10.5 Incompatible materials: Amines. Strong Acid. Strong oxidizing agents.
- · 10.6 Hazardous decomposition products: Carbon monoxide and carbon dioxide

SECTION 11: Toxicological information

- 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
- · Acute toxicity Based on available data, the classification criteria are not met.
- · Skin corrosion/irritation Causes skin irritation.
- · Serious eye damage/irritation Causes serious eye irritation.
- · Respiratory or skin sensitisation May cause an allergic skin reaction.
- Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- Reproductive toxicity Based on available data, the classification criteria are not met.
- **STOT-single exposure** Based on available data, the classification criteria are not met.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- Aspiration hazard Based on available data, the classification criteria are not met.

(Contd. on page 7)

IE

Printing date 03.10.2023

Version number 2 (replaces version 1)

Revision: 03.10.2023

(Contd. of page 6)

Trade name: Epicol 305795 Part A

· 11.2 Information on other hazards

· Endocrine disrupting properties

None of the ingredients is listed.

SECTION 12: Ecological information

12.1 Toxicity

- Aquatic toxicity: No further relevant information available.
- 12.2 Persistence and degradability No further relevant information available.
- **12.3 Bioaccumulative potential** No further relevant information available.
- **12.4 Mobility in soil** No further relevant information available.
- 12.5 Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- · vPvB: Not applicable.
- 12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

- 12.7 Other adverse effects
- · Remark: Toxic for fish
- · Additional ecological information:
- · General notes:

Water hazard class 3 (German Regulation) (Self-assessment): extremely hazardous for water Do not allow product to reach ground water, water course or sewage system, even in small quantities. Danger to drinking water if even extremely small quantities leak into the ground. Also poisonous for fish and plankton in water bodies.

Toxic for aquatic organisms

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

· Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

· European waste catalogue

08 04 09*	waste adhesives and sealants containing organic solvents or other hazardous substances
HP4	Irritant - skin irritation and eye damage
HP13	Sensitising
HP14	Ecotoxic

· Uncleaned packaging:

• Recommendation: Disposal must be made according to official regulations.

SECTION 14: Transport information

· 14.1 UN number or ID number

· ADR, IMDG, IATA

UN3082

· 14.2 UN proper shipping name

(Contd. on page 8)

IE -

Page 8/10

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 03.10.2023

Version number 2 (replaces version 1)

Revision: 03.10.2023

Trade name: Epicol 305795 Part A

	(Contd. of page
ADR	3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (bis[4-(2,3- epoxypropoxy)phenyl]propane, Bis(isopropyl)
IMDG	naphthalene) ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (bis[4-(2,3-epoxypropoxy)phenyl] propane, Bis(isopropyl)naphthalene), MARINE POLLUTANT
ΙΑΤΑ	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (bis[4-(2,3-epoxypropoxy)phenyl] propane, Bis(isopropyl)naphthalene)
14.3 Transport hazard class(es)	
ADR, IMDG, IATA	
Class Label	9 Miscellaneous dangerous substances and articles.9
14.4 Packing group ADR, IMDG, IATA	111
14.5 Environmental hazards:	
Marine pollutant: Special marking (ADR):	Symbol (fish and tree) Symbol (fish and tree)
Special marking (ADA):	Symbol (fish and tree)
14.6 Special precautions for user	Warning: Miscellaneous dangerous substances and articles.
Hazard identification number (Kemler code):	
EMS Number: Stowage Category	F-A,S-F A
	A
14.7 Maritime transport in bulk according to IMO instruments	Not applicable.
Transport/Additional information:	
ADR	
Limited quantities (LQ)	5L
Excepted quantities (EQ)	Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
Transport category Tunnel restriction code	3 (-)
IMDG	
Limited quantities (LQ)	5L Cada: F1
Excepted quantities (EQ)	Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
	(Contd. on page

IE

Printing date 03.10.2023

Version number 2 (replaces version 1)

Revision: 03.10.2023

Trade name: Epicol 305795 Part A

(Contd. of page 8)

· UN "Model Regulation":

UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (BIS[4-(2,3-EPOXYPROPOXY)PHENYL]PROPANE, BIS(ISOPROPYL)NAPHTHALENE), 9, III

SECTION 15: Regulatory information

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · Seveso category E2 Hazardous to the Aquatic Environment
- Qualifying quantity (tonnes) for the application of lower-tier requirements 200 t
- Qualifying quantity (tonnes) for the application of upper-tier requirements 500 t
- REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3
- DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment Annex II

None of the ingredients is listed.

· REGULATION (EU) 2019/1148

 Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

· Regulation (EC) No 273/2004 on drug precursors

None of the ingredients is listed.

 Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

None of the ingredients is listed.

• 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship. This Safety Data Sheets is in compliance with Regulation (EC) No 1907/2006, Article 31 as amended by Regulation (EU) 2020/878.

· Relevant phrases

H304 May be fatal if swallowed and enters airways.

- H315 Causes skin irritation.
- H317 May cause an allergic skin reaction.
- H319 Causes serious eye irritation.
- H410 Very toxic to aquatic life with long lasting effects.

EUH205 Contains epoxy constituents. May produce an allergic reaction.

(Contd. on page 10)

IF

Printing date 03.10.2023

Version number 2 (replaces version 1)

Revision: 03.10.2023

Trade name: Epicol 305795 Part A

· Classification according to Regulation (EC)	No 1272/2008
Skin corrosion/irritation Serious eye damage/irritation Skin sensitisation Hazardous to the aquatic environment - long-te (chronic) aquatic hazard	The classification of the mixture is generally base on the calculation method using substance data according to Regulation (EC) No 1272/2008. rm
Department issuing SDS: Technology	
 Contact: msds@apm-technica.com Date of previous version: 03.10.2023 	
Version number of previous version: 1	
Abbreviations and acronyms:	diago dangorougoo par routo (Europoon Agroomont Concorning t
ADR: Accord relatif au transport international des marchar	dises dangereuses par route (European Agreement Concerning t
ADR: Accord relatif au transport international des marchar International Carriage of Dangerous Goods by Road)	dises dangereuses par route (European Agreement Concerning th
ADR: Accord relatif au transport international des marchar	dises dangereuses par route (European Agreement Concerning th
ADR: Accord relatif au transport international des marchar International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and L	abelling of Chemicals
ADR: Accord relatif au transport international des marchar International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and L EINECS: European Inventory of Existing Commercial Cher	abelling of Chemicals
ADR: Accord relatif au transport international des marchar International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and L EINECS: European Inventory of Existing Commercial Cher ELINCS: European List of Notified Chemical Substances	abelling of Chemicals mical Substances
ADR: Accord relatif au transport international des marchar International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and L EINECS: European Inventory of Existing Commercial Cher ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American	abelling of Chemicals mical Substances
ADR: Accord relatif au transport international des marchar International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and L EINECS: European Inventory of Existing Commercial Cher ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American VOC: Volatile Organic Compounds (USA, EU)	abelling of Chemicals mical Substances
ADR: Accord relatif au transport international des marchar International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and L EINECS: European Inventory of Existing Commercial Cher ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American VOC: Volatile Organic Compounds (USA, EU) PBT: Persistent, Bioaccumulative and Toxic	abelling of Chemicals mical Substances
ADR: Accord relatif au transport international des marchar International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and L EINECS: European Inventory of Existing Commercial Cher ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American VOC: Volatile Organic Compounds (USA, EU)	abelling of Chemicals mical Substances
ADR: Accord relatif au transport international des marchar International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and L EINECS: European Inventory of Existing Commercial Cher ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American VOC: Volatile Organic Compounds (USA, EU) PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative	abelling of Chemicals mical Substances n Chemical Society)
ADR: Accord relatif au transport international des marchar International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and L EINECS: European Inventory of Existing Commercial Chei ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American VOC: Volatile Organic Compounds (USA, EU) PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Skin Irrit. 2: Skin corrosion/irritation – Category 2 Eye Irrit. 2: Serious eye damage/eye irritation – Category 2 Skin Sens. 1: Skin sensitisation – Category 1	abelling of Chemicals mical Substances n Chemical Society)
ADR: Accord relatif au transport international des marchar International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and L EINECS: European Inventory of Existing Commercial Cher ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American VOC: Volatile Organic Compounds (USA, EU) PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Skin Irrit. 2: Skin corrosion/irritation – Category 2 Eye Irrit. 2: Skin sensitisation – Category 1 Asp. Tox. 1: Aspiration hazard – Category 1	abelling of Chemicals mical Substances n Chemical Society)
ADR: Accord relatif au transport international des marchar International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and L EINECS: European Inventory of Existing Commercial Chei ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American VOC: Volatile Organic Compounds (USA, EU) PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Skin Irrit. 2: Skin corrosion/irritation – Category 2 Eye Irrit. 2: Serious eye damage/eye irritation – Category 2 Skin Sens. 1: Skin sensitisation – Category 1	abelling of Chemicals mical Substances n Chemical Society) - long-term aquatic hazard – Category 1